

## Hot water middle class

### HDS 695-4 MX Eco

#### Overview

The new generation Eco Line of medium and heavy-duty machines combines innovative engineering with a maximum of user convenience, economy and a long service life, even under very demanding operating conditions.

Order no. 1.025-316.0



#### Standard accessories

Trigger gun  
 Easy Press, High-pressure hose 20 m  
 Longlife, Spray lance  
 1050 mm  
 , Power nozzle  
 , Servo Control  
 , Integral high-pressure hose reel, Anti-twist system (AVS), Galvanized and powder coated chassis  
 , Three piston axial pump with ceramic pistons, Pressure switch control, Pole reversing plug (three-phase)  
 , Electronic service control with LED display

#### Technical data

Number of current phases Ph	3
Frequency Hz	50
Voltage V	400
Water flow rate l/h	400-800
Pressure bar /MPa	30-170/3-17
Max. temperature °C	Max. 155-Max. 80
Connected load kW	6.4
Consumption fuel oil kg/h	5.2

## Hot water middle class

### HDS 695-4 MX Eco

#### Description

This medium-duty hot water high-pressure cleaner offers a high level of operator comfort and service-friendliness.

The tanks for heating oil, detergent and scale inhibitor can be filled from outside without having to open the machine cover. The machine cover is lockable. A compartment is provided for storing nozzles, tools and other small parts so that they are always at hand.

The upright boiler with integral high-performance burner ensures excellent heat exchange which is one of the prerequisites for complying with emission regulations. The boiler's special design avoids dew point corrosion.

The outstanding features of the smooth-running three-piston axial pump with its chemical resistant brass cylinder head are its simple construction, compactness, low operating sound and long service life.

The high-pressure pump, burner fan and heating oil pump are driven directly by the electric motor. This layout reduces overall size and guarantees high efficiency and reliability.

#### Application

For medium-sized shops in the car business

For car washes

For chassis washing

For engine washing

For the pre-wash in car washes

General cleaning tasks in the industry, municipalities and agriculture

#### Features & Benefits

4-pole electric motor

Water cooled 4-pole electric motor - 1400 rpm delivers pre-heated water, high pressure pump - fuel pump and blower driven by single shaft. Result - high efficiency and long lasting time

Chimney - outlet cover

Made of stainless-steel integrated in the unit cover

Easy Press trigger gun

Ergonomical designed trigger gun with soft grip inlay and reduced holding and trigger force for fatigue free working in long terms

Exhaust gas temperature sensor

The exhaust gas temperature sensor which is integrated in the chimney switches off the electric motor when the exhaust gas temperature exceeds 300°C. Additional working safety for the user in case of burner malfunctions.

## Hot water middle class

### HDS 695-4 MX Eco



#### Fine-mesh water filter

With transparency housing, integrated on float-tank, Safe protection of the high-pressure components against dirt and particles in the feed water for higher service life time

#### Hose reel

The high-pressure hose can be conveniently unwound and rewound on the hose reel to provide plenty of reach.

#### Low fuel cut-out

The unit shuts down automatically when the tank is empty. No risk of residual oil igniting unintentionally

#### Servo Control

Sensitive user friendly pressure-/ water flow adjustment through the servopress control direct on the trigger gun

#### Soft damping system (SDS)

A special high pressure hose (recognisable by the yellow colour and the SDS-labelling) between the safety device and the high-pressure pump eliminates / compensates the arising vibrations in the high-pressure system by factor 2,5

Three-piston axial pump with ceramic pistons  
Guarantees long service life

### Adapter

#### Adapter

For connecting HP nozzle and accessories directly to trigger gun ( with nozzle union) – 1 x M 22 x 1.5 / 1 x M 18 x 1.5  
Order no. 4.402-022.0



### Adapter for variable pressure spray lance

#### Adapter for variable pressure spray lance

For items 4.760-230 and 4.760-362 for mounting accessories to lance, M 24/18 x 1.5  
Order no. 4.762-075.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Angle-vario nozzle 0°-90°

##### Varlo nozzle 0-90°

High-pressure jet infinitely variable between 0° and 90° so it can be exactly matched to all types of soiling and surfaces.

Order no. 4.763-039.0



#### Boron carbide nozzle

##### Boron carbide nozzle

(In addition to nozzle packs. Very wear-resistant nozzle for continuous-duty operation.)

Order no. 6.415-084.0



#### Coupling

##### Double pipe union

For connecting and extending HP hoses. 2 x M 22 x 1,5 connections, brass with rubber protector

Order no. 4.403-002.0



#### Crane lifting kit

##### Crane lifting kit

Effortless handling by crane.

Order no. 2.638-900.0



#### Detergent injector (without nozzle)

##### Detergent injector (without nozzle)

Adds detergent in high and low pressure modes independent of machine.

Dosage up to 15 %

Order no. 3.637-001.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Dirt Blaster, changeover

##### Dirt Blaster, changeover

changeover to high-pressure fan jet  
Order no. 4.763-957.0



#### Dirt Blaster, not adjustable

##### Dirt Blaster, without changeover

Rotating pencil jet for maximum dirt removing power.  
Order no. 4.763-253.0



#### Easy Foam Set

##### Easy Foam Set

Complete, ready-to-use HP foam system for use with. HD/HDS units for cleaning and disinfecting. Foam nozzle for connection to lance and HP chemical injector with precision 0-5% metering valve.  
Order no. 2.640-693.0



#### Fine-mesh water filter

##### Fine mesh water filter

Mounted to machine inlet, 80 µm  
Order no. 4.730-102.0



##### Fine mesh water filter

Mounts to machine inlet, 150 µm  
Order no. 2.638-270.0



##### Fine mesh water filter

Mounts to machine, suitable for suction mode, 150 µm  
Order no. 2.638-255.0



## Hot water middle class

**HDS 695-4 MX Eco****Flue gas adapter****Flue gas adapter**

With draught cut-off, for connection to flue pipe.

Order no. 4.656-066.0

**Flue gas adapter**

with draught cut-off, for connection to flue pipe.

Order no. 4.656-058.0

**Foam nozzle mounting kit****Anbausatz Schaumdüse**

For applying foam detergent in metered quantities in sanitary and food areas, or where long reaction time is necessary, mounts to spray lance in place of HP nozzle

Order no. 2.637-926.0

**FR 30 ME hard surface cleaner****Surface cleaner, 300 mm diameter**

A rotating nozzle beam with Kärcher Power nozzles has an area coverage up to 10 times larger than conventional methods. Stainless steel version. Ceramic bearings. Integral vacuum connection.

Order no. 2.640-355.0

**Geka coupling****Geka coupling**

with female thread

Order no. 6.388-458.0

**Geka coupling**

with hose liner

Order no. 6.388-455.0



## Hot water middle class

**HDS 695-4 MX Eco****High-pressure hoses****High-pressure hose, 20 m, DN 8, PN 160 bar, AVS gun connectionm,**

Food industry version, AVS connection in trigger gun grey ID 8/155°C/160 bar  
Order no. 6.390-705.0

**High-pressure hose, 10 m, DN 8, PN 160 bar, AVS gun connectionm,**

Food industry version, AVS connection in trigger gun grey ID 8/155°C/160 bar  
Order no. 6.390-704.0

**High-pressure hose 20 m, DN 8, AVS gun connection**

with patented AVS connection in trigger gun (pivot-mounted)  
Order no. 6.390-208.0

**High-pressure hose 10 m, DN 8, AVS gun connection, longlife**

with patented AVS connection in trigger gun (pivot-mounted)  
Order no. 6.389-856.0

**HKF 50 spray head, brass****HKF 50 spray head , brass**

Reach 850 mm. Interior cleaning head for drums, barrels and tanks. For  
bungholes of 50 mm and more. Connects directly to high-pressure cleaner.  
Driven by electric motor. Operates in vertical and horizontal positions.  
Order no. 3.631-039.0

**Hose reel mounting kit****Hose reel mounting kit**

Order no. 2.637-998.0



Hot water middle class

**HDS 695-4 MX Eco**

### Hose reel, automatic

#### Swivel holder

Add- on kit to fasten a hose reel at the wall.  
Order no. 2.639-931.0



#### Hose drum, automatic, 20 m

Self-winding hose reel (without HP hose) Kärcher HD hose plug-in system  
Order no. 2.639-919.0



### HP detergent injector

#### HP detergent injector

Adds up to 5% detergent in high-pressure mode  
Order no. 3.637-170.0



### Inno Foam Set

#### Inno Foam Set

Complete, ready-to-use HP foam system for use with mobile and stationary HD/HDS units for cleaning and disinfection. Twin spray lance with foam nozzle and changeover to HP jet for clear rinsing etc., HP chemical injector with precision 0-5% metering valve.  
Order no. 2.640-692.0



### Installationsmaterial

#### Rotating joint

Reliably prevents HP hose twisting. M 22x1.5 connection with protector  
Order no. 4.401-076.0



### Machine-specific nozzle kit

#### Nozzle set, for surface cleaning (model specific)

for item 2.638-831 and 2.640-355  
Order no. 2.639-187.0





Hot water middle class

**HDS 695-4 MX Eco**

**Machine-specific nozzle kit with order no. 3.637-170**

**Machine-specific nozzle kit**

detergent injector + HP nozzle + union

Order no. 4.769-047.0



**Mounting kit for 2nd detergent tank**

**Mounting kit for 2nd detergent tank**

To prevent detergent getting into the drinking water cycle in case of inlet at low-pressure.

- hot water resistant up to 80 °C
- in compliance with EN 12729 Type BA
- integrated leakage protection



Mounting kit integrated in machine

Order no. 2.638-235.0

**Nozzle insert with order no. 3.637-001**

**Nozzle insert (for position 3.637-001)**

For high pressure.

Order no. 4.769-003.0



**Nozzle insert (for position 3.637-001)**

For low pressure.

Order no. 4.769-001.0



**Nozzle kit for HKF 50 spray head (3.631-009.0 / 3.631-039.0)**

**HKF 50 spray head**

2 nozzles

Order no. 6.415-444.0



## Hot water middle class

### HDS 695-4 MX Eco

#### **HKF 50 spray head**

Nozzle kit for items 3.631-039 and 3.631-009. 1 nozzle  
Order no. 6.415-077.0



#### **Screw plug**

Screw plug. For operating spray head with one nozzle  
Order no. 5.411-061.0



#### **Double handle**

Cone for installing unit in bungholes.  
Order no. 4.132-002.0



#### **Double handle**

Spray head driven by an electric motor for the industrial container cleaning of small barrels (200 - 500 l)  
Double handle, for exact control of spray head  
Order no. 2.863-036.0



### Nozzle kits for Inno/Easy Foam Set

#### **Nozzle kits for Inno/Easy Set**

Ideally match performance to different machine outputs for economic operation.  
Order no. 2.640-688.0



### Nozzle pack

#### **Nozzle pack for wet-blasting attachment**

Consisting of wet-blasting nozzle and nozzle insert, only for use with wet-blasting attachment 4762-010/-022  
Order no. 2.637-902.0



Hot water middle class

**HDS 695-4 MX Eco**

### Nozzle protector

#### Nozzle protector (rubber)

for steam nozzles 4766-023 and 4766-024.  
Order no. 5.394-059.0



### Nozzle union

#### Nozzle union

With protector for high-pressure and Power nozzles M 18 x 1.5  
Order no. 5.401-210.0



### Pipe cleaning hose, ID 6

#### Pipe cleaning hose ID 6

Very flexible high-pressure hose for pipe cleaning (1/8"connection for nozzle)  
Order no. 6.390-030.0



#### Pipe cleaning hose, ID 6

Very flexible high-pressure hose for pipe cleaning (1/8"connection for nozzle)  
Order no. 6.390-029.0



#### Pipe cleaning hose, ID 6

Very flexible high-pressure hose for pipe cleaning (1/8"connection for nozzle)  
Order no. 6.390-028.0



### Pipe cleaning nozzle

#### Pipe cleaning nozzle

With female thread, different spraying directions for environment-friendly cleaning of blocked drains and pipes. Nozzle orifices are positioned so that nozzle pulls itself and the hose into the pipe. Brass, for M22 x 1.5 connection directly to HP hose  
Order no. 5.763-011.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Pivoting spray lances

##### **Spray lance, 2040 mm, rotatable**

Spray lances in various lengths, stainless steel with hand screw union.  
Ergonomically shaped handle mouldings for optimum control and insulation.  
Can be turned 360° under pressure.  
Order no. 4.760-366.0



##### **Spray lance, 1500 mm, rotatable**

Spray lances in various lengths, stainless steel with hand screw union.  
Ergonomically shaped handle mouldings for optimum control and insulation.  
Can be turned 360° under pressure.  
Order no. 4.760-365.0



##### **Spray lance, pivoting, 600 mm**

Spray lances in various lengths, stainless steel with hand screw union.  
Ergonomically shaped handle mouldings for optimum control and insulation.  
Can be turned 360° under pressure.  
Order no. 4.760-364.0



##### **Spray lance, pivotable, 1050 mm**

Spray lances in various lengths, stainless steel with hand screw union.  
Ergonomically shaped handle mouldings for optimum control and insulation.  
Can be turned 360° under pressure.  
Order no. 4.760-550.0



#### Power nozzle, spray angle 15°

##### **Power nozzle spray angle 15°**

Fan jet nozzle for stubborn dirt  
Order no. 2.883-390.0



#### Power nozzle, spray angle 25°

##### **Power nozzle spray angle 25°**

Fan jet nozzle for large area coverage and stubborn dirt  
Order no. 2.883-399.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Push-on washing brush

##### Push-on washing brush

General-purpose cleaning on all surfaces. With clamp for mounting directly to spray lance. Connection M 18 x 1.5.  
Order no. 4.762-016.0



#### Rollover nozzle holder

##### Rollover nozzle holder

Changes from solid to fan jet with flick of the wrist. Knurled nut for changeover to low pressure chemical intake, without nozzles (order Kärcher Power nozzle separately)  
Order no. 4.764-012.0



#### Rotary washing brush

##### Rotary washing brush

Driven by water jet. Gently removes fine dust and traffic film from all surfaces. Temperature resistant up to 85 °C. M 18 x 1.5. (replaceable brush element)  
Order no. 4.762-288.0



##### Rotary washing brush

Driven by water jet. Gently removes fine dust and traffic film from all surfaces. Temperature resistant up to 85 °C. M 18 x 1.5. (replaceable brush element)  
Order no. 4.762-284.0



#### Servo Control controller

##### Servo Press Controller

Servopress controller  
Order no. 4.775-470.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Easy Press high-pressure gun with soft grip insert

Easy Press high-pressure trigger gun, for high-pressure hoses ID 6 / ID 8 with Swivel, diameter 11 mm  
Order no. 4.775-463.0



#### Shut-off cock

##### Shut-off cock

Order no. 4.580-160.0



#### Spacer (incl. nozzle union)

##### Spacer (incl. nozzle union)

Guarantees constant safety clearance, e.g. for tyres and bodywork. Helps prevent damage to sensitive surfaces. Mounts directly to lance.  
Order no. 5.394-294.0



#### Spray lance

##### Spray lance, 250 mm, fixed

Stainless steel with hand screw union, does not pivot In conjunction with extended trigger gun  
Order no. 4.760-058.0



#### Steam nozzle

##### Steam nozzle .

50° flat jet for cleaning and thawing operations in steam mode, e.g. thawing sand and gravel, de-icing formwork, dewaxing vehicles.  
Order no. 4.766-023.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Suction filter

##### Suction filter

Without non-return valve, brass  
Order no. 4.730-019.0



##### Suction filter

With non-return valve, brass  
Order no. 4.730-012.0



#### Underbody lance

##### Underbody lance

Mobile. For effective and convenient cleaning of underbodies, chassis and wheel arches. Stainless steel. Without HP nozzle.  
Order no. 4.760-245.0



#### Variable pressure spray lance

##### Variable pressure spray lance

With integral pressure gauge for infinitely variable pressure control directly on lance. Nozzle connection M 24 x 1.5. Chemical feed in low pressure mode. Variable pressure lance and Kärcher Power nozzle.  
Order no. 4.760-362.0



##### Variable pressure spray lance

With integral pressure gauge for infinitely variable pressure control directly on lance. Nozzle connection M 24 x 1.5. Chemical feed in low pressure mode. Variable pressure lance and Kärcher Power nozzle.  
Order no. 4.760-230.0



#### Water supply hose

##### Water supply hose

ID 19 R 1"/R1" - up to 85 °C  
Order no. 4.440-270.0



## Hot water middle class

### HDS 695-4 MX Eco

#### Water supply hose

ID 19 R 1"/R 3/4" - up to 85 °C - for suction mode  
Order no. 4.440-207.0



#### Water supply hose

ID 13 R 1"/R 3/4" - up to 30 °C  
Order no. 4.440-038.0



### WC spray lance

#### WC-Spray lance

With nozzle. Specially shaped for cleaning WCs. Stainless steel.  
Order no. 4.760-073.0



### Wet blasting attachment (without nozzle)

#### Wet-blasting attachment (without nozzles)

Adds abrasive to high-pressure jet. For removing paint, rust, scale. Mounts to spray lance in place of HP nozzle. Without abrasive flow control  
Order no. 4.762-022.0



#### Wet blasting attachment ( without nozzles)

Adds abrasive to high-pressure jet. For removing paint, rust, scale. Mounts to spray lance in place of HP nozzle. With abrasive flow control  
Order no. 4.762-010.0

