

Universal-Reinigungsgerät

AP 100/50 M



AP 100/50 M constitutes a simple and flexible All-in-One solution, suitable for different surfaces, contains spraying as well as suctioning function of the detergent.

Order number: 1.007-058.0



Technical data

Details

Description

All Purpose Cleaner AP 100/50 M constitutes a simple and flexible All-in-One solution and removes soils and bacilli on different surfaces.

The machine contains spraying as well as suctioning function of the detergent, whereby productive and timesaving work is possible.

The powerful turbine makes possible to suck off the detergent in a third less time in comparison to common cleaning procedures and arranges for a directly walkable and dry surface.

The machine doesn't need a long set-up time and is quickly ready for action and useable for daily cleaning.

Application

Compact cleaning machine for all wet cleaning tasks in the kitchen and sanitary areas. Also useable in reconstruction after fire and disinfection.

Attractive for the following target groups:

Contract cleaner, reconstruction after fire, restaurants, self-cleaner for cafeteria/kitchen, hotels, public buildings, healthcare, food industry, retail.

Features & Benefits

Control panel:

The controls are easy to understand and good to handle. Use of the machine is simply learned. No intensive training needed.

Accurate dosage of the cleaning agent at an adjusted pressure

Transport:

compact form of the machine and ergonomical formed push handle,
for a good manoeverability, push handle is pleasant to grip for easier transport.
Castor wheels with fixing brake for a safety parking of the machine.

Fresh water tank :

The fresh water tank contains a capacity of 100 l.

A liquid level indicator enables a permanent control of the water consumption. The machine is equipped with a long, flexible hose of 1,5 m to fill in directly fresh water.

Waste water tank:

Flexible dirt water drain hose with squeeze device for a dosed emptying

Easy to clean with the spray lance in the low pressure mode

2 cleaning agent container:

Universal-Reinigungsgerät

AP 100/50 M



Alternative application of acid and alkaline cleaning agents possible.

Direct suction out of the cleaning agent bottle.

Quick change of the cleaning agent bottles.

No contamination of the fresh water tank

The machine needs a low set-up effort and is whereby quickly ready for action.

Easy access to the operating elements, accessories and cleaning agents.

Clutter-free work station through separation of HD and vacuuming tools.

Accessories

All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order number 6.906-383.0



Connector

Nozzle connector/screw connector

Nozzle connector/screw connector for connecting high-pressure nozzles and accessories to the high-pressure trigger gun (with nozzle connector). Connectors: 1x M 22 x 1.5 and 1x M 18 x 1.5.

Order number 4.402-022.0



Cup foam lance

Cup foam lance

Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.

Order number 6.394-668.0



Easy Press high-pressure gun with holding power reduction (Kärcher patent)

Easy press high-pressure trigger gun with softgrip

Easy press high-pressure trigger gun with softgrip. For high-pressure hoses DN 6 and DN 8 with 11 mm swivel diameter.

Order number 4.775-463.0



Food industry version

High-pressure hose 15 m DN 6, AVS trigger gun connector 11 mm, suitable for food industry, grey

15 m high-pressure hose (DN 6) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. DN 6/155°C/250 bar.

Order number 6.391-654.0



Other HP Accessories

Suction hose

Flexible suction hose, 10 m, for a wide reach

Order number 8.633-348.0



Hard surface and carpet tool

Floor tool for hard surfaces and spray extraction cleaning of textile surfaces

Order number 2.642-552.0



Plastic bend

Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order number 5.031-904.0



Power nozzle spray angle 40°

Power nozzle 40° spray angle

Power nozzle with a 40° spray angle and fan jet, suitable for large areas and sensitive surfaces.

Order number 2.884-525.0



Repair kits

Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order number 2.639-873.0



Rotating spray lances

Rotatable lance, 600 mm, ergonomic

600 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order number 4.760-664.0



Suction tubes stainless

Suction tube

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0

