

## Scrubber driers ride-on

### BR 100/250 R Bp



#### Overview

Battery-driven ride-on scrubber with roller brush technology for deep cleaning, maintenance cleaning and polishing of areas up to 10 000 m<sup>2</sup>.

Order no. 1.480-111.0

#### Standard accessories

Roller brush  
 , Traction drive, Automatic water stop  
 , Battery type  
 Low maintenance, Battery and charger on board, Parking brake, Integrated sweeping attachment, Adjustable steering wheel, Pre-sweeping attachment  
 , Longlife fan, Solenoid valve, 2-tank system

#### Technical data

Working width, brush mm	1000
Working width, vacuum mm	1150
Tank capacity fresh water l	250
Tank capacity dirt water l	250
Max. area performance m <sup>2</sup> /h	6000
Brush rotation speed rpm	600-1200
Brush contact pressure g/cm <sup>2</sup>	260
Battery Voltage V	36
Battery Capacity	-

## Scrubber driers ride-on

### BR 100/250 R Bp

#### Description

The BR 100/250 R is equipped with a combination of roller brushes and integrated sweeping device.

The new constructed machine is characterised by an easy and practical operation. All functions of scrubbing, polishing and vacuuming are equipped with simple and self-explaining symbols. The BR 100/250 R changes automatically all necessary modules of the chosen programme. The orientation of un-learned persons are made easier.

The roller brush speed is adjusted to the respective cleaning programme. Use Power clean for stubborn incrustation, Whisper clean with reduced noise level for normal soiling and Fine clean for removal of grey film.

Adjustment of the steering column to the user's size for an ergonomical working as well as well-being advantages. The buckled steering column allows a sloped steering to the driver and concurrent hanging of the wheel from top without coasting. Thereby an area measured contact surface of the wheel with noticeable improvement of traction in bends, reduced surface load and increasing of the life-time.

An exact detergent dosage is possible by using a hose pump (as option).

Simple constructed and shock-resistant brush-head. In collision with objects the brush head which is mounted horizontal and vertical resilient avoids hitting objects and protects against damages. In comparison with the old brush head made of metal the new is made of light and impact resistant plastic and corrosion-free. Better protection of drive belt against moisture. Automatically reduction of contact pressure when overload and so protection of brush head against overload and damage.

#### Application

Through the working width of 1000 mm a practical performance of 5000 m<sup>2</sup>/h is possible with the BR 100/250 R. Working times up to 5 hours are possible by generous dimensioned batteries. Thereby the BR 100/250 R is also usable on large areas. With the BR 100/250 R high structured surfaces, e.g. studded rubber flooring or safety tiles can be cleaned. On marble and terrazzo flooring there are also the possibility to crystallise with RM 749 (6.290-038) and grit brushes. With the new designed brush head dust which are generated during crystallisation can be vacuumed directly. This is a main advantage by crystallising of showrooms which otherwise must be elaborately covered.

#### Features & Benefits

Detergent dosage via hose pump (optional)

2x10 Liter-can fixed at the vehicle, can be changed between 0,5 - 4,0 % during driving.

FACT - Flexible Application Control Technology

For use on different floorings and for different applications without time-consuming changeover or change of machine.

## Scrubber driers ride-on

### BR 100/250 R Bp



Fresh water tank / Waste water tank

Each 250 Liter, large opening for cleaning, protection of turbine by flat pleated filter

Modification of handling, steering wheel, step

Ergonomical working and thereby lower exhausting as well as well-being advantages by adjustment of the steering column on the user's size (approx. 2 cm). Step tread for an easier step in and step out.

New brush head

Sweeping device integrated, protection against impact, rubber lips at the side, adjustable roller brush speed, higher brush speed

Service-friendly modular steering

Defect moduls can be changed singular. Interface makes possible strike up of datas or read out of error messages etc.

Standardised user concept - Single-knob-operation

Self-explanning, individual adjustment of parameters possible

Turning circle only 2,12 m

Easy handling also on close places areas

### Anbausatz Recyclingbetrieb

#### ADD-ON KIT Recycling

Order no. 2.640-884.7



### Roller brushes for BR

#### Roller brush, hard, 900 mm

green, for deep cleaning

Order no. 6.906-757.0



#### Roller brush, very hard, 900 mm

green, for deep cleaning

substituted by: 6.906-757.0

black, for deep cleaning

Order no. 6.906-669.0



## Scrubber driers ride-on

### BR 100/250 R Bp

**Roller brush, soft, 900 mm**

white, for maintenance cleaning or polishing

Order no. 6.906-667.0

**Roller brush, high-low, 900 mm**

orange, for structured floors

Order no. 6.906-666.0

**Roller brush, medium, 900 mm**

red, for all surfaces

Order no. 6.906-600.0

**Roller brush**

red, for all surfaces

Order no. 6.906-938.0

**Roller pad shaft****Roller pad shaft, 900 mm**

Order no. 4.762-399.0

**Roller pads****Roller pad, hard, 130 mm**

hard, green, for deep cleaning

Order no. 6.371-077.0

**Roller pad, medium, 130 mm**

medium, red, for maintenance cleaning

Order no. 6.371-076.0



## Scrubber driers ride-on

### BR 100/250 R Bp

#### sonstiges

**Side brush kit**

right and left  
Order no. 2.640-720.7

**Filling hose**

simplifies filling of tank, 1.5 m  
Order no. 6.389-524.0



#### Suction bar, complete

**Suction bar, curved, 1150 mm**

curved  
Order no. 4.777-314.0

**Suction bar, straight, 1150 mm**

straight  
Order no. 4.777-304.0



#### Vacuum sweepers and scrubber-dryers - 36 V

**Battery**

4 pcs required  
in tray with central filling system  
Order no. 6.654-136.0

