

# BR 40/25 C Ep



### **Overview**

Manually-steered mains-operated floor scrubber with roller brushes with a performance up to 1600 m<sup>2</sup>/h.For economic basic cleaning, maintenance cleaning and polishing of surfaces up to 800 m<sup>2</sup>.

Order no. 1.515-101.0

### **Standard accessories**

Roller brush

- , Tank-in-tank system
- , Mains operation

Technical data	
Working width, brush mm	400
Working width, vacuum mm	770
Motor rating W	Max. 1580
Battery Capacity	-
Battery Voltage	-
Tank capacity fresh water	25
Tank capacity dirt water I	25
Brush contact pressure g/cm²	240
Brush rotation speed rpm	1000



# BR 40/25 C Ep

### Description

The scrubber drier BR 40/25 C for small and blocked floors is equiped with the single knob operation EASY and very easy to maintain. It is very short and has a extremely small turning cycle. So it is exceptionally agile. It has a working scrubbing width of 400 mm. The BR 40/25 C is very quiet, simply to clean and the handle bar can be folded for easy transport. The straight squeegee is equipped with double sided rubber blades.

#### **Application**

It is suitable for basic cleaning, maintenance cleaning and polishing hard floors. It has a performance of 1600 m² and can be used economically for areas of 200 up to 800 m². It cleans smooth or sructured surfaces properly. On marble and terrazzo it is possible to crystallize. On parquet, watermust be vacuumed immediately (no two-step method). Linoleum can be treated like PVC.

For heavy soilings, for polishing or crystalliszing there are special accessories available.

#### **Features & Benefits**

Mains driven

Cleaning without time limit. Also more times a day.

Brush change

Easy to maintain. Changing of brushes within seconds.

Brush head with transport wheel

Easy to use and easy transport.

One-button operation - EASY

User friendly and easy to maintain.

Straight squeegee available

Optimized suction effectforall floor conditions possible. Please order separately.

Compact size

Due to the compact size of the machine it is also possible to clean small blocked areas easily.

Tank capacity

25litre fresh water and 25 litre waste water.

Two plastic parts for the chassis

Only few parts. Integrated a two chambers tank system. Break-and sound-proofed, easy to refill.

Fresh water indication



# BR 40/25 C Ep



The transparent andflexible tubing is easy accessable and indicates the fresh water during cleaning.

#### Roller brushes for BR

### Roller brush, soft, 400 mm

natural, for polishing Order no. 4.762-274.0



### Roller brushes, hard, 400 mm

green, for deep cleaning Order no. 4.762-252.0



### Roller brushes, high-low, 400 mm

orange, for structured floors Order no. 4.762-251.0



### Roller brush, soft, 400 mm

white, for maintenance cleaning or polishing Order no. 4.762-250.0



### Roller brush, medium, 400 mm

red, for all surfaces Order no. 4.762-249.0



### Roller pad shaft

### Roller pad shaft, 400 mm

400 mm

Order no. 4.762-228.0





# BR 40/25 C Ep

### Roller pads, premounted on sleeves

### Roller pad on sleeve, very soft, 400 mm

very soft, white, 96 mm, roller pads premounted on sleeve, for polishing. Machine requires 2.

Order no. 6.369-727.0



#### Roller pads on sleeve, medium, 400 mm

medium, red, 96 mm, roller pads premounted on sleeve, for maintenance cleaning. Machine requires 2.

Order no. 6.369-726.0



### Roller pads on sleeve, hard, 400 mm

hard, green, 96 mm, roller pads on sleeve, for deep cleaning. Machine requires 2.

Order no. 6.369-725.0



### Roller pad on sleeve, soft, 400 mm

soft, yellow, 96 mm, roller pads premounted on sleeve, for polishing.

Machine requires 2.

Order no. 6.369-724.0



### sonstiges

#### **Extension cable**

20 m

Order no. 6.647-022.0



#### Filling hose

simplifies filling of tank, 1.5 m Order no. 6.389-524.0



### **Squeegees for suction bars**

### Squeegees for suction bars

oil resistant, brown Order no. 6.273-254.0



# BR 40/25 C Ep

### Rubber blades, standard, 790 mm.

oil resistant, brown standard, blue Order no. 6.273-253.0



## Suction bar, complete

## Suction bar, straight, 770 mm

straight, without reverse rolls Order no. 4.777-300.0



### Squeegee, straight

straight, without reversing casters, 770 mm Order no. 4.777-064.0

