



Overview

Ride-on scrubber drier with roller brushes and a working width of 75 cm, high battery capacity, large water tank. Positioned between BR Trike and BR 1000.

Order no. 1.246-171.0

Standard accessories

Roller brush

- , Traction drive, Battery and charger on board
- , Automatic water stop
- , Battery type

Low maintenance, Battery and charger on board, Parking brake, Integrated sweeping attachment, Solenoid valve, 2-tank system

Technical data	
Working width, brush mm	750
Working width, vacuum mm	940
Tank capacity fresh water I	140
Tank capacity dirt water I	140
Max. area performance m²/h	4500
Brush rotation speed rpm	500-1100
Brush contact pressure g/cm ²	290
Battery Voltage V	24



Description

This ride-on scrubber drier is used in areas that are normally reserved for big walk-behind models. It is ideal for large supermarkets, warehouses and factory floors. Thanks to its compact suction width, this machine has no problem travelling through narrow doorways and aisles. Optimal adjustment on different floor coverings by continuous adjustable brush pressure and water quantity. A further advantage are FACT: the optimal adjustment of brush speed on the application and the necessity of the surrounding. The memory function allows the operator to recall his personal saved adjustments e.g. brush pressure and water quantity at the push of a button.

The chassis has been designed to make this machine one of the most manoeuvrable in its class. It needs only 1.6 metres between walls to turn and can be driven away from walls and shelves at a right angle without damaging them.

Pre-sweeping facility sweeps coarse dirt into the bin.

Water guide rail feeds dirty cleaning solution to suction beam for optimum pick-up. This ensures dry floors even in tight corners.

The battery is positioned in the centre of the housing and rated for up to 2,5 hours of operation.

140-litre fresh/dirty water tank for long periods of uninterrupted operation (up to 2250 m2 with one tank filling)

Application

Attractive for the following target groups: Contract cleaners, shopping centers, warehouses and industry, economical on areas of 2000 to 4500 sq.m

Features & Benefits

Automatic water and brush stop when the machine is stopped. Protection of sensitive surfaces because the pump and the brushes are automatically controled.

Large brush head with contra-rotating brushes and an integrated sweeping device. Best sweeping result because the dirt in front of the machine is swept-in as well as the dirt in the rear. Suction beam doesn't get blocked due to cigarettes etc. Low fresh consumption because the cleaning solution goes along with second brush.

Large fresh/waste water tank (140/140 I).

No continual refilling anymore which provides long and cost-saving operation intervals. With integrated fresh water filter.

Longlife turbine.



- ...

36 month warranty. No carbon brushes because they are quickly worn out. Long life-time and best suction performance.

Memo-function.

Increased economy because for repeated operation tasks always the same water and detergentagent amounts are used (no overdosing!). Lower risks of damages because the brush pressure is also pre-adjusted.

Powerful battery (240 Ah(C5)).

The batteries have no problems with working up to 2,5 hours without interruption.

Tank is shaped like a "V".

Long operation intervals without foam-formation because foam is spread out over a large area and dissolved when the waste water level increases.

Two-piece, hood made from plastic (PE).

Robust and impact resistant, noise-reducing and corrosion-free. Clear driver's position as well as an outstanding traction because the batteries are positioned centrally.

Very clear operation panel. All functions are clearly readable. Brush pressure and water amount are electronically adjustable. Using the machine is easily learnt. No long application trainings are needed.

Water guide strip at the brush head.

Anbausatz Recyclingbetrieb

Mounting Kit Recycling

enables the directly recycling of water - saves water, detergent and time Order no. 2.640-201.0

Ø

Roller brushes for BR

Roller brush, very hard, 700 mm

black (old colour: grey), for deep cleaning Order no. 6.906-497.0

ø



ø

Ø

Ø

Ø

Ø

Scrubber driers ride-on BR 75/140 R Bp Pack

·

Roller brush, soft, 700 mm white (old colour: black), for maintenance cleaning or polishing Order no. 6.906-496.0

Roller brush, high-low, 700 mm orange, for structured floors Order no. 6.906-495.0

Roller brush, hard, 700 mm green, for deep cleaning

Order no. 6.906-494.0

Roller brush, medium, 700 mm red (old colour: white), for all surfaces

Order no. 5.762-285.0

Roller pad shaft

Roller pad shaft, 700 mm 700 mm Order no. 4.762-316.0

Roller pads

Roller pad, medium, 105 mm medium, red, for maintenance cleaning Order no. 6.369-456.0

Roller pad, hard, 105 mm hard, green, for deep cleaning Order no. 6.369-455.0







Roller pad, soft, 105 mm soft, yellow, for polishing Order no. 6.369-454.0	
Roller pads, very soft, 105 mm very soft, white, for polishing Order no. 6.369-389.0	
	ø
constinue	
sonstiges Back wheel without profile reduces wheel marks on sensitive, white floors Order no. 6.435-733.0	
	ţ Z
Front wheel without profile reduces wheel marks on sensitive, white floors Order no. 6.435-732.0	
	Ŕ
Filling hose simplifies filling of tank, 1.5 m Order no. 6.389-524.0	
	ø
Splash guard wear resistant for an extra long lifetime Order no. 5.394-757.0	
	,ø
Additional weight kit ensures that squeegee glides optimally Order no. 5.031-498.0	
	,ø



Work illumination kit Increases max. speed from 6 to 8 km/h Increases climbing abilities to 15%	
For operation in poorly lit areas. Order no. 2.641-349.0	ø
Backrest kit	
Order no. 2.640-681.0	
	ø
Working light kit	
Order no. 2.640-109.0	
	ø
Beacon light kit	
Order no. 2.640-108.0	
	ø

Spray extraction mounting kit

Spray-extraction kit for cleaning areas inaccessible for machines Order no. 2.640-186.0

Squeegees for suction bars

Squeegee for suction bars standard, blue

Order no. 6.273-215.0

Squeegee for suction bars

standard, blue Order no. 6.273-214.0

ø

ø

Ø



Squeegee for suction bars oil resistant, brown Order no. 6.273-209.0	
	Ø
Squeegee for suction bars brown, oil resistant Order no. 6.273-208.0	
	Ø
Squeegee for suction bars non-streak, oil resistant, brown Order no. 6.273-206.0	
	Ø
Squeegee for suction bars brown, non-streak, oil resistant Order no. 6.273-205.0	
	Ø
Suction bar, complete	
Suction bar, curved, 1060 mm curved Order no. 4.777-313.0	
	Ø
Suction bar, curved, 940 mm curved Order no. 4.777-312.0	
	Ø
Suction bar, straight, 1060 mm	

straight Order no. 4.777-303.0

Suction bar, straight, 940 mm straight

Order no. 4.777-302.0

ø

ø



Suction beam assembly For BR/BD 75-90/140R curved, 1060 mm Order no. 4.777-056.0	2 ili
Suction beam assembly For BR/BD 55/60, 750 curved, 940 mm Order no. 4.777-055.0	2
Suction beam assembly For BR/BD 75-90/140R straight, 1060 mm Order no. 4.777-050.0	and the second s
Suction beam assembly For BR/BD 55/60&750 for suction unit 6.812-035 straight, 940 mm Order no. 4.777-049.0	8 44 - S
Traction batteries and chargers for vacuum sweepers - 24 V	
Battery (in tray)	
Order no. 6.654-112.0	ø