

## Spray-extraction cleaners

### puzzi 400 K

#### Overview

Spray extraction cleaner for very large carpeted areas, with continuous water feed and discharge, with adjustable spray pressure.

Serial with 8 m spray suction hose.

Order no. 1.101-401.0



#### Standard accessories

Spray hose with integral water feed 8 m  
 , Power outlet for power brush PW 20, Integral discharge pump

#### Technical data

|  |          |
|--|----------|
| Max. area performance<br>m <sup>2</sup> /h | 90       |
| Air flow rate<br>l/s                       | 43       |
| Vacuum<br>mbar<br>/kPa                     | 275/27.5 |
| Spray rate<br>l/min                        | 1-5.5    |
| Spray pressure/ram pressure bar            | 15-40    |
| Tank fresh/dirt water<br>l                 | 40-18    |
| Power rating fan<br>W                      | 1380     |
| Power rating, pump<br>W                    | 580      |

## Spray-extraction cleaners

### puzzi 400 K

#### Description

Compact housing made of rugged polyethylene, integral holders for cable and floor tool, large fresh water tank (45 litres) with baffle, infinitely variable water flow rate and spray pressure, with connection for continuous fresh water feed from mains supply as well as a pump for continuous dirty water discharge to ensure efficient cleaning of very large areas without interruption.

Built-in socket for the optional PW 20 power brush to intensify the cleaning and increase the area performance.

#### Application

Suitable for:  
Contract cleaners,  
Hotels,  
Interior decorators,  
Local governments.

#### Floor tools

##### Floor tool ID 38,330 mm,1-14bar

3 nozzles, long version, high pressure 1 –14 bar  
Order no. 4.130-061.0



#### Hand tools

##### Hand tool

For cleaning upholstery with  
Puzzi 400/ E and 400 K,  
with water flow reducer 3.637-029  
(except Puzzi 440 K)  
Order no. 4.130-163.0



##### Hand tool

For cleaning vertical louvre blinds, with metal coupling (in conj. with adapter  
5.453-008)  
Order no. 4.130-067.0



## Spray-extraction cleaners

### puzzi 400 K

#### Spray extraction cleaners

**PW power brush**

Standard bristles for PW 20  
Order no. 6.903-544.0

**Adapter**

Adapter from ID 32 to ID 38  
Order no. 5.453-008.0

**Injector (antifoam) mounting kit**

for 4.130-061/-065  
Order no. 3.637-002.0

**Wall & ceiling cleaning attachment 270 mm**

Metal coupling 6.389-293 required for puzzi 100-300/S  
Order no. 2.637-445.0



#### Spray-extraction hoses

**Complete, metal coupling**

Complete, metal coupling  
Order no. 4.440-644.0

**Spray extraction hose ID 38 8m**

Complete, metal coupling  
Order no. 4.440-645.0



#### Stone carpet tools

**Stone carpet tool ID38, 330 mm**

In conjunction with adapter 5.453-008 (with metall cupling)  
Order no. 4.130-074.0

