

NT 14/1 Classic

The NT 14/1 Eco Classic is more than just another vacuum cleaner. It is the vacuum cleaner for craftsmen – developed in close cooperation with professionals from various fields. That is why it features all of the capabilities for an easier craftsman's job. Numerous intelligent, detailed solutions assist your professional work but the machine won't be heavier. This is the NT 14/1 Eco Classic: unbelievably compact and very clever.

Standard accessories:

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter Paper
- Bend
- Bumper bar
- Safety class II
- Maintenance -free suction fans 1 piece



Order number: 1.510-107.0

Technical data

Air flow rate (l/s)	61
Vacuum (mbar/kPa)	230/23
Container capacity (l)	14
Max. intake performance (W)	1380
Standard nominal width (mm)	35
Length of cord access. (m)	7.5
Sound pressure level (dB(A))	70
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	14
Dimensions (L x W x H) (mm)	497x467x416

NT 14/1 Classic



Features & Benefits

- Easy removal of the suction unit
 - Easy to use
 - All accessories in the chassis
-

Accessories

Adapter (tube -> nozzle)

Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order number 6.902-084.0



Adapter for electric power tools, clip on, el.

Power tool adapter C 35, el.

3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.

Order number 5.453-042.0



Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.

Order number 5.453-048.0



Adapter for electric power tools, C 35, el.

Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-050.0



Adapter for electric power tools, screwable

Power tool adapter, threaded, DN 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order number 5.453-016.0



Adapter for electric power tools, screwable

Adapter for electric power tools, screwable, ID 35

Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.

Order number 5.453-026.0



Power tool adapter, threaded, DN 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.

Order number 6.902-059.0



Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm Suitable for NT vacuum cleaners.

Order number 6.902-095.0



All-purpose brushes

All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order number 6.903-863.0



All-purpose nozzles (wet/dry)

Wet and dry floor tool DN 35

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

Order number 6.906-512.0



All-purpose nozzles (wet/dry)

All-purpose nozzle (wet and dry), DN 40

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.903-018.0



All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.906-384.0



All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-513.0



All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-554.0



Bend metal

Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order number 6.900-519.0



Bend metal

Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order number 6.900-276.0



Bend stainless

Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0



Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



Car cleaning nozzles

Car vacuuming tool, DN 40, 90 mm

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order number 6.900-952.0



Car vacuuming tool DN 35

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order number 6.906-108.0



Combi-nozzles (dry)

Combination floor tool (dry), DN 35

Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.

Order number 6.906-511.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C 35 - ID 35, el.

Connects C 35 hose for ID 35, electrically conductive.

Order number 5.407-112.0



Adapter C40 to DN 35, el.

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

Order number 5.407-109.0



Connecting sleeve C 40 - ID 40, el.

Connects C 40 hose for ID 40, electrically conductive.

Order number 5.407-111.0



Connecting sleeves

Adapter, DN 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0



Connecting sleeves

Adapter, DN 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order number 6.900-286.0



Crevice nozzles

Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order number 6.900-385.0



Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

Order number 6.900-922.0



Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order number 6.903-033.0



Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order number 6.905-817.0



Crevice nozzles

Crevice tool DN 35.

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.

Order number 6.906-240.0



Flat pleated filter (paper)

Flat pleated filter

Flat pleated filter (dust class M) suitable for all NT 14/1 vacuum cleaners as a standard main filter and for the NT 351 Eco/Professional series.

Order number 6.904-156.0



Flat pleated filter (PES)

Flat pleated filter (PES)

Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.

Order number 6.906-123.0



Fleece filter bags (3 ply)

Fleece filter bags, 3-ply, x5

3-ply, extremely tear-resistant fleece filter bags, dust class M, dry pick up, suitable for all NT 14/1 models. Contents: x10.

Order number 6.904-407.0



Inaktiv

Auto kit

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)

Order number 2.637-443.0



Miscellaneous

Extension cable

Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0



Nozzle sets

Nozzle kit

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)

Order number 2.860-116.0



Other accessories for T and NT

Module

Order number 4.060-420.0



PFC module, C 35, el.

To activate the semi-automatic filter cleaning device, electrically conductive.

Order number 4.060-478.0



Other accessories for T and NT

Adapter plate

Holder for Systainer® case, plastic

Order number 2.641-982.0



Paper filter (2 ply)

Paper filter bags, dust class M

10 2-ply paper filter bags, dust class M. Standard for NT 14/1 vacuum cleaners.

Order number 6.904-406.0



Plastic bend

Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

Order number 5.031-939.0



Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

Order number 5.032-427.0



Plastic bend, C-ID 35, AS

Plastic in antistatic material, connection C-35-clip-system

Order number 5.033-583.0



Plastic bend

Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order number 5.031-904.0



Reducer (tube -> nozzle)

Reducers from DN 40 to 35

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order number 6.902-017.0



Reducer from DN 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order number 6.902-072.0



Reducing sleeves

Reducer el., C 40

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

Order number 5.407-108.0



Repair kits

Repair set, C 35

Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order number 2.639-682.0



Rubber suction tools, nose 45°

Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order number 6.902-104.0



Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order number 6.902-105.0



Set reducing / extension sleeves

Set reducing/ extension sleeves, ID 40/35, 35/32, plastic

ID 40/35, ID 35/32 (tube -> nozzle), plastic.

Order number 2.860-117.0



Suction brushes

Suction brush

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

Order number 6.903-862.0



Suction hoses (Clip-system)

Suction hose (clip system), C 35

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-241.0



Suction hoses (Clip-system)

Suction hose (clip system), C 40, 4 m

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-321.0



Suction hose (clip system), C 40, 4m, el.

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-546.0



Suction hose (Clip-System), C 35 2,5 mm, AS

Suction hose, 2,5 m, C 35, plastic, in antistatic version.

Order number 6.906-896.0



Suction hoses complete

Suction hose complete, ID 35, 2,5m

Temperature-resistant to 120 °C.

Order number 4.440-339.0



Suction hose, complete, DN 27

Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order number 4.440-446.0



Suction hoses complete (Clip-system)

Suction hose, complete (clip system), C DN-35, 2.5 m

2.5 m electrically conductive suction hose with bend and module (4.060-420.0), bayonet at vacuum end and C 35 clip connection at accessory end. Suitable for NT 361 Eco/Te/M/TEA/M A, NT 561 und NT 611 Eco/Te/M/TEA/M A.

Order number 4.440-627.0



Suction hose, complete (clip system), C DN-35, 2.5 m

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

Order number 4.440-626.0



Suction hose, complete (clip system), C DN 35, 2.5 m, el.

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.

Order number 4.440-653.0



Suction hose, complete (clip system), C DN 35, 2.5 m, el.

2.5 m electrically conductive suction hose with bend (C-DN 35) and module (4.060-478.0), bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 4.440-654.0



Suction tubes metal

Metal suction tube, ID 35, 0.33 m

Metal suction tube, ID 35, 0.33 m length

Order number 6.902-152.0



Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order number 6.900-514.0



Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order number 6.900-275.0



Suction tubes plastic

Suction tube, DN 35

Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.

Order number 6.900-384.0



Suction tubes stainless

Suction tube, 2 x 0.5 m, metal

Stainless steel suction tube (DN 35, 0.5 m) only suitable for NT vacuum cleaner.

Order number 6.902-046.0



Suction tube

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0



Target group specific vacuum cleaner accessory sets

Universal kit for industrial and commercial use

Accessory kit for industrial and commercial use.

Order number 2.637-595.0



Boiler cleaning kit

Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.

Order number 2.638-852.0



Professional cleaning kit ID 40

Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).

Order number 2.637-353.0



Horse grooming kit, ID 35

Horse brush (6.903-046.0), curry comb/rubber curry comb (6.903-047.0 and 6.903-048.0), suction hose 4 m (4.440-391.0).

Order number 2.637-248.0



NT vacuum cleaner kit, DN 40, el.

Wet and dry vacuum cleaner kit, electrically conductive, DN 40.

Order number 2.638-147.0

