

The NT 35/1 Ap is based on the same platform as the NT 25/1 Ap, has 10 liters more container capacity and is the successor to the NT 361 Eco.

## Standard accessories:

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Crevice tool
- Flat pleated filter Paper
- Safety class II

Order number: 1.184-512.0



# **Technical data**

Air flow rate (I/s)	61
Vacuum (mbar/kPa)	230/23
Container capacity (I)	35
Max. intake performance (W)	1380
Standard nominal width (mm)	35
Length of cord access. (m)	7.5
Sound pressure level (dB(A))	67
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	11.5
Dimensions (L x W x H) (mm)	520x380x580



# Deta8ls

# **Description**

The outstanding feature of the new one-motor Ap series is its compactness. Both vacuum cleaners are high-performance, compact vacuum cleaners for professionals. The 35/1 Ap offers a larger container with 35 liters. Both models come standard with flat pleated filter and semi-automatic filter cleaning, which allows to work longer without interruption.

## Features & amp; Benefits

Two features mark the Ap class wet/dry vacuum cleaners:

The flat pleated filter is located within the turbine head. Therefore, it enables the complete usage of the container capacity and can easily be changed from the clean side.

With the semi-automatic filter cleaning system ApClean the filter is cleaned at the push of a button. This enables working longer without any interruption.

- \* The semiautomatic filter cleaning system ApClean provides an unclogged flat pleated filter. That way you can work longer without interruptions.
- \* The flat pleated filter offers an optimal use of the container capacity and can be changed easily from the clean side.
- \* With its complete accessory kit the NT 35/1 Ap can be used immediately.
- \* Even with the compact design the NT 35/1 Ap has cable and hose hooks
- \* On its sturdy rollers the NT 35/1 Ap follows its user almost anywhere.



## **Accessories**

# Adapter (tube -> nozzle)

## Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order number 6.902-084.0



# Adapter for electric power tools, clip on, el.

## Power tool adapter C 35, el.

3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.

Order number 5.453-042.0



## Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.

Order number 5.453-048.0



## Connecting sleeve for electric tool C 35, el.

Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-049.0



## Adapter for electric power tools, C 35, el.

Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-050.0





# Adapter for electric power tools, clip on, el.

## Connecting sleeve for electric tool C 35, el.

Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order number 5.453-051.0



#### Connecting sleeve for electric tools C 35, el.

Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-052.0



# Adapter for electric power tools, screwable

## Adapter for electric power tools, screwable, ID 35

Plastic, adaptable from ID 26-36.

Order number 2.639-129.0



# Power tool adapter, threaded, DN 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order number 5.453-016.0



## Adapter for electric power tools, screwable, ID 35

Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.

Order number 5.453-026.0





# Adapter for electric power tools, screwable

### Power tool adapter, threaded, DN 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.

Order number 6.902-059.0



#### Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.

Order number 6.902-095.0



## All-purpose brushes

### All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order number 6.903-863.0



# All-purpose nozzles (wet/dry)

#### Wet and dry floor tool DN 35

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

Order number 6.906-512.0



## All-purpose nozzle (wet and dry), DN 40

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.903-018.0





# All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order number 6.906-383.0



#### All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.906-384.0



# All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-513.0



## All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-554.0



## **Bend metal**

#### Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order number 6.900-519.0





#### **Bend metal**

#### Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order number 6.900-276.0



#### **Bend stainless**

#### Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0



## Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



# Coarse filter for wet pickup

#### Coarse dirt filter for wet pick up

Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.

Order number 6.904-287.0



# Combi-nozzles (dry)

# Combination floor tool (dry), DN 35

Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.

Order number 6.906-511.0





# Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### Connecting sleeve C 35 - ID 35, el.

Connects C 35 hose for ID 35, electrically conductive.

Order number 5.407-112.0



#### Adapter C40 to DN 35, el.

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

Order number 5.407-109.0



## Connecting sleeve C 40 - ID 40, el.

Connects C 40 hose for ID 40, electrically conductive.

Order number 5.407-111.0



# **Connecting sleeves**

## Adapter, DN 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0



#### Adapter, DN 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order number 6.900-286.0





# Connecting sleeves

## Connecting sleeve, ID 61, with female thread

For connecting 2 suction hoses, thread on both sides

Order number 6.902-078.0



#### Crevice nozzles

#### **Crevice tool**

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order number 6.900-385.0



# Diaphragm filter/ fabric filter

## Membrane filter/fabric filter

Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.

Order number 6.904-212.0



# **Extension hoses (Clip-system)**

## Extension hose, C 32, C 35 clip system

Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.

Order number 6.906-237.0



## Extension hose C 32-, C 35-Clip-system, el.

for all C-32 and C-35 hoses, electrically conductive.

Order number 6.906-277.0





# Flat pleated filter (paper)

### Flat pleated filter packed - dust class M

Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.

Order number 6.904-367.0



# Flat pleated filter (PES)

## Flat pleated filter (PES)

Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.

Order number 6.904-360.0



# Fleece filter bags (3 ply)

### Fleece filter bags, x5

3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5

Order number 6.904-351.0



### **HEPA** filter for dust class H

#### **HEPA** surface filter

HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.

Order number 6.904-242.0





#### Inaktiv

#### **Auto kit**

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)

Order number 2.637-443.0



#### Miscellaneous

#### **Extension cable**

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0



# **Nozzle sets**

## Nozzle kit

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)

Order number 2.860-116.0



# Paper filter (2 ply)

#### Paper filter bags, x5

5 paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 361 Eco models (except Eco H).

Order number 6.904-210.0



# Paper filter bags, 300 pcs

BIA-C dust class M approved. Large-scale consumer pack.

Order number 6.904-224.0





# Paper filter (2 ply)

### Paper filter bags

5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).

Order number 6.904-259.0



#### Plastic bend

#### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

Order number 5.031-718.0



#### Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

Order number 5.031-939.0



#### Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

Order number 5.032-427.0



#### Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order number 5.031-904.0






# Plastic sacks for dust-free disposal

# Plastic sacks for dust-free disposal

PE plastic sack.

Order number 6.596-886.0



# Reducer (tube -> nozzle)

#### Reducers from DN 40 to 35

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order number 6.902-017.0



#### Reducer from DN 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order number 6.902-072.0



# **Reducing sleeves**

## Reducer el., C 40

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

Order number 5.407-108.0



# Repair kits

#### Repair set, C 35

Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order number 2.639-682.0





# Rubber suction tools, nose 45°

#### Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order number 6.902-104.0



#### Rubber suction nozzle, 45°

 $45^{\circ}$  rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order number 6.902-105.0



## Set reducing / extension sleeves

Set reducing/ extension sleeves, ID 40/35, 35/32, plastic

ID 40/35, ID 35/32 (tube -> nozzle), plastic.

Order number 2.860-117.0



# Special filter bags, wet filter bags

#### Special filter bag, wet filter bag

Tear-resistant special/wet filter bag for dust class L. For dry and wet cleaning, suitable for NT 351, 361, 601 models and for boiler cleaning with NT 351 Eco.

Order number 6.904-171.0



#### **Suction brushes**

#### **Suction brush**

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

Order number 6.903-862.0





# Suction hoses (Clip-system)

### Suction hose (clip system), C 35

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-241.0



# Suction hose (clip system), C 35, el.

2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-275.0



## Suction hose (clip system), C 35, el.

4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-500.0



## Suction hose (clip system), C 40, 4 m

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-321.0



# Suction hose (clip system), C 40, 4 m, oil-resistant

With bayonet and clip connection.

Order number 6.906-714.0



## Suction hose (clip system), C 40, 4m, el.

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-546.0





# Suction hoses (Clip-system)

### Suction hose (clip system), C 40, 10 m, el.

Suction hose with bayonet coupling, electrically conductive.

Order number 6.906-877.0



#### Suction hose (clip system), C 35

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-242.0



## Suction hoses complete

## Suction hose complete, ID 35, 2,5m

Temperature-resistant to 120 °C.

Order number 4.440-339.0



### Suction hose, complete, DN 27

Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order number 4.440-446.0



#### Suction hose, complete, DN 27

Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order number 4.440-461.0





# Suction hoses complete

### Suction hose complete, ID 27, 7m, el.

Connector for electric tools, electrically conductive.

Order number 4.440-462.0



# Suction hoses complete (Clip-system)

## Suction hose, complete (clip system), C DN-35, 2.5 m

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

Order number 4.440-626.0



## Suction hose, complete (clip system), C DN 35, 2.5 m, el.

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.

Order number 4.440-653.0



#### Suction tubes metal

## **Suction tube**

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order number 6.900-514.0



#### **Suction tube**

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order number 6.900-275.0





# Suction tubes plastic

#### Suction tube, DN 35

Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.

Order number 6.900-384.0



#### Suction tubes stainless

# Suction tube, 2 x 0.5 m, metal

Stainless steel suction tube (DN 35, 0.5 m) only suitable for NT vacuum cleaner.

Order number 6.902-046.0



#### Suction tube

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0



## Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order number 6.906-531.0



# Target group specific vacuum cleaner accessory sets

## Universal kit for industrial and commercial use

Accessory kit for industrial and commercial use.

Order number 2.637-595.0





# Target group specific vacuum cleaner accessory sets

### **Boiler cleaning kit**

Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.

Order number 2.638-852.0



#### **Building trade kit**

Building and ancillary trade accessory kit.

Order number 2.637-352.0



## Professional cleaning kit ID 40

Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).

Order number 2.637-353.0



## Horse grooming kit, ID 35

Horse brush (6.903-046.0), curry comb/rubber curry comb (6.903-047.0 and 6.903-048.0), suction hose 4 m (4.440-391.0).

Order number 2.637-248.0



# NT vacuum cleaner kit, DN 40, el.

Wet and dry vacuum cleaner kit, electrically conductive, DN 40.

Order number 2.638-147.0





# Tools for vacuuming smaller areas, cleaning machines

## Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order number 6.902-106.0



#### Turbo nozzle

## Turbo nozzle, DN 32

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order number 2.860-113.0



## Turbo nozzle, DN 32

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.

Order number 2.860-114.0



## **UBS non-conductive media**

# ABS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases.

Order number 2.641-560.0



# Y-piece kit

## Y-adapter kit

Plastic distributor - suitable for NT vacuum cleaners.

Order number 2.637-217.0

