

Powerful wet/dry vacuum cleaner with 70 I container capacity and up to three motors.

### Standard accessories:

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Wet and dry floor tool 360 mm
- Crevice tool
- Cartridge filter
- Drain hose
- Cartridge filter Paper
- Safety class II
- Maintenance -free suction fans 2 piece

Order number: 1.667-222.0



### **Technical data**

Air flow rate (I/s)	2 x 56
Vacuum (mbar/kPa)	208/20.8
Container capacity (I)	70
Max. intake performance (W)	2400
Standard nominal width (mm)	40
Length of cord access. (m)	10
Sound pressure level (dB(A))	75
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	26
Dimensions (L x W x H) (mm)	720x510x975



### Deta8ls

### **Description**

The NT 70-family of machines consists of large, powerful wet/dry vacuum cleaners with up to three motors. A complete line of models that shine especially when it comes to wet applications and vacuuming coarse dirt. Strong suction power as well as tried and tested Kärcher quality at a low price.

### Features & amp; Benefits

With the NT 70-series you can choose between one, two or three motors. All of them can be switched on or off on the front depending on the job.

The accessory holder is integrated into the large bumper. All of the accessories are included in the package.



### **Accessories**

### Adapter (tube -> nozzle)

### Adapter (tube -> nozzle)

From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order number 5.453-019.0



### All-purpose brushes

### All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order number 6.903-863.0



### All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-554.0



### All-purpose nozzle (wet and dry), DN 40

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.903-018.0



#### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order number 6.906-383.0





### All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.906-384.0



#### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-513.0



#### **Bend metal**

### Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order number 6.900-519.0



### Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order number 6.900-276.0



#### **Bend stainless**

### Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0





### **Bend stainless**

#### Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



### Car cleaning nozzles

### Car vacuuming tool, DN 40, 90 mm

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order number 6.900-952.0



### Cartridge filter paper

### Cartridge filter, paper

Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.

Order number 6.907-038.0



### Coarse filter for wet pickup

#### Foam filter

Not suitable for dry vacuuming.

Order number 2.889-083.0





### Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C 35 - ID 35, el.

Connects C 35 hose for ID 35, electrically conductive.

Order number 5.407-112.0



### Connecting sleeves

### Adapter, DN 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0



### Adapter, DN 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order number 6.900-286.0



### Connecting sleeve, ID 61, with female thread

For connecting 2 suction hoses, thread on both sides

Order number 6.902-078.0



### Crevice nozzles

#### **Crevice tool**

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order number 6.903-033.0





#### Crevice nozzles

#### **Crevice tool**

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order number 6.900-385.0



#### **Crevice tool**

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

Order number 6.900-922.0



#### Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order number 6.905-817.0



### Diaphragm filter/ fabric filter

### Membrane filter/fabric filter

Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.

Order number 6.904-282.0



### **Extension hoses (Clip-system)**

### Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.

Order number 6.906-344.0





### Gangway nozzles

### Gangway nozzle

Vacuuming larger Areas in connection with NT 70/1; NT 70/2 or NT 70/3 versions only.

Order number 4.130-432.0



#### Gangway nozzle

Vacuuming larger Areas in connection with NT 70/1; NT 70/2 or NT 70/3 versions only.

Order number 4.130-432.0



### **Miscellaneous**

#### **Extension cable**

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0



### Other accessories for T and NT

#### **Pre-separator**

Complete container (80 litre) and lid (ID 61). For coarse dirt and fluids (without suction hose).

Order number 3.864-010.0



### **Barrel separator**

Metal, from DN 61 to 61, only for liquids.

Order number 3.864-012.0





### Other accessories for T and NT

### Lid separator

For 6.902-051.0/4.070-111.0 and NT 802 I tank.

Order number 4.063-132.0



### Adapter ring for 200 l drum

Ring adapter for EURO steel drum (200 I) with lid but in connection with additional lid (separator) 4.063-132.0.

Order number 6.902-051.0



## Paper filter (2 ply)

### Filter bags x5 □- NT 65/2 Eco

5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.

Order number 6.904-285.0



### Pipe dusting nozzles

### Pipe dusting nozzle, ID 35

Plastic, pipe diameter 100 mm

Order number 6.903-035.0



### Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order number 6.903-036.0





#### Plastic bend

#### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

Order number 5.031-718.0



#### Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

Order number 5.031-939.0



#### Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

Order number 5.032-427.0



### Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal

PE plastic sack.

Order number 6.900-698.0



#### Radiator brushes

#### Radiator brush

Plastic radiator brush (DN 35), suitable for crevice tool 6.900-385.0 or 6.905-240.0. Only for NT vacuum cleaners.

Order number 6.903-034.0





### Reducer (tube -> nozzle)

#### Reducers from DN 40 to 35

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order number 6.902-017.0



#### Reducer from DN 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order number 6.902-072.0



### Reducing sleeves

#### Reducer el., C 40

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

Order number 5.407-108.0



#### Reducer C40 to C-35

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

Order number 5.407-113.0



### Repair kits

### Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order number 2.639-873.0





### Repair kits

### Repair kit ID 61

Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.

Order number 2.862-038.0



## Rubber suction tools, nose 45°

### Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order number 6.902-104.0



### Rubber suction nozzle, 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order number 6.902-105.0



### **Suction brushes**

### **Suction brush**

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

Order number 6.903-862.0



#### **Suction brush DN 32**

Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.

Order number 6.903-887.0





### Suction hoses (Clip-system)

### Suction hose (clip system), C 40, 10 m

10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.

Order number 6.906-279.0



#### Suction hose (clip system), C 40, 4 m

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-321.0



### Suction hose (clip system), C 40, 4m, el.

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-546.0



### Suction hose (Clip-system), C 40, 16 m

With bayonet and clip connection.

Order number 6.906-635.0



### Suction hose (clip system), C 40, 10 m, el.

Suction hose with bayonet coupling, electrically conductive.

Order number 6.906-877.0





### Suction hoses complete

### Suction hose, complete

4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.

Order number 4.440-264.0



#### Suction hose complete, ID 61, smooth inside

Industrial hose, PVC/elastomer with steel spiral, smooth inside.

Order number 4.440-328.0



### Suction hose, complete, DN 61, 10 m

10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.

Order number 4.440-467.0



### Suction hose complete, ID 61, 4 m, oil-resistant

Oil-resistant.

Order number 4.440-613.0



### Suction hose complete, ID 61, 10 m, oil-resistant

Oil-resistant.

Order number 4.440-614.0



### Suction hose complete, ID 61, 10 m

Industrial hose, PVC/elastomer with steel spiral, smooth inside.

Order number 4.440-615.0





### Suction hoses complete

Suction hose complete, ID 61, 4 m, el.

Electrically conductive.

Order number 4.440-616.0



Suction hose complete, DN 61, 10 m, el.

Electrically conductive.

Order number 4.440-617.0



### Suction hoses complete (Clip-system)

Suction hose, complete (clip system), C-DN 40, 4 m

4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.

Order number 4.440-678.0



Suction hose, complete (clip system), C DN 40, 16 m

16 m suction hose (C-DN 40) with bayonet and straight adapter.

Order number 4.440-784.0



#### Suction tubes metal

#### Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order number 6.900-275.0





#### Suction tubes metal

#### Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order number 6.900-514.0



#### Suction tubes stainless

#### Suction tube, 2 x 0.5 m, metal

Stainless steel suction tube (DN 35, 0.5 m) only suitable for NT vacuum cleaner.

Order number 6.902-046.0



#### Suction tube

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0



### **Suction tube**

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order number 6.906-531.0



### Target group specific vacuum cleaner accessory sets

### Professional cleaning kit ID 40

Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).







### Target group specific vacuum cleaner accessory sets

### Car cleaning kit ID 35

Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ ID 35

Order number 2.862-166.0



#### Swarf kit

Individual parts: suction hose 4 m, oil-proof (4.440-613.0), crevice tool (6.900-222.0), rubber suction nozzle angled at 45° (6.902-106.0).

Order number 2.640-760.0



### Tools for vacuuming smaller areas, cleaning machines

### Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order number 6.902-106.0



### Tools for vacuuming surfaces / cleaning machines

### Surface tool alu DN61, 200mm

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order number 4.130-415.0



### Scratcher and scraper tool DN61 metal

Scratcher and scraper tool DN 61, sheet metal, 117 mm

Order number 6.903-360.0





## Y-piece kit

## Y-adapter kit

Plastic distributor - suitable for NT vacuum cleaners.

Order number 2.637-217.0

