

## Wet and dry vacuum cleaners

### NT 27/1

#### Overview

The NT 27/1 is a powerful wet and dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.

Order no. 1.428-501.0



#### Standard accessories

Suction hose  
2.5 m  
, Metal suction tube, 2 x 0.5 m  
, Filter bag  
Paper, Wet and dry floor tool  
300 mm  
, Crevice tool  
, Cartridge filter  
, Bumper bar, Safety class  
II, Maintenance -free suction fans 1 piece

#### Technical data

Air flow rate l/s	67
Vacuum mbar /kPa	200/20
Container capacity l	27
Max. intake performance W	Max. 1380
Standard nominal width mm	35
Length of cord access. m	7.5
Sound pressure level dB(A)	72
Container material	Plastic
Frequency Hz	50-60

## Wet and dry vacuum cleaners

### NT 27/1

#### Description

The NT 27/1 is a compact, highly manoeuvrable and user-friendly wet and dry vacuum cleaner for all-round commercial applications. Its powerful fan provides enormous suction power. The unit is equipped with a cartridge filter.

A mechanical float system cuts off suction as soon as the container is filled to its maximum capacity to prevent overflow. The practical clip system ensures quick and simple accessory changes. Five smooth-running swivel castors guarantee excellent manoeuvrability and rock-steady stability. The top of the fan cover features a practical flat tray-like surface for oddments. The entire housing is made of impact resistant plastics.

The NT 27/1 also features accessory holders and a hook for keeping the power cord tidily stowed. The ergonomically shaped carrying handle makes the unit easy and convenient to transport, complete with all accessories.

The NT 27/1 has an all-round bump guard which protects the machine as well as walls, equipment and furniture from damage.

#### Application

This wet and dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e.g. building and allied trades, wholesalers, retailers, car dealers, industry, local governments and agriculture, in areas where a fully tested unit (safety-type vacuum) is specified.

#### Features & Benefits

Bypass suction fan installed in a sound-proof hood (72 dB (A))

- High suction power, trouble-free wet and dry pickup, low operating noise

Easily removed fan motor head

- Filter system and waste container are easily accessible

Integrated float system • Suction fan and overflow protection during wet vacuuming by interruption of the suction flow after reaching the maximum capacity (also with foam)

Large on-/off-switch

- Easy to operate

Washable and a protected by a deflection plate cartridge filter, quick exchange, low maintenance

## Wet and dry vacuum cleaners

### Adapter for electric power tools, clip on, EL (electroconductive)

#### Adapter for electric power tools IØ 28mm/OØ 34mm

IID 28 mm/OD 34 mm/38.8 mm, EL  
Order no. 5.453-052.0



#### Adapter for electric power tools clip on, EL (electric conductiv

ID 32 mm/OD 39 mm, EL  
Order no. 5.453-051.0



#### Adapter for electric power tools, C 35, el.

inside Ø 27 mm / outside Ø 36.5 mm / 38.8 mm, EL  
only NT vacuums  
Order no. 5.453-050.0



#### Adapter for electric power tools clip on, EL (electric conductiv

ID 28.6 mm/OD 37.3 mm/38.8 mm, EL  
Order no. 5.453-049.0



#### Adapter for electric power tools, C 35, el.

inside Ø 25.4 mm / outside Ø 34.6 mm / 38 mm, EL  
only NT vacuums  
Order no. 5.453-048.0



#### Adapter for electric power tools, C 35, el.

Plastic, suitable for DN 26-36 (Te/EcoM/H) EL  
only NT vacuums  
Order no. 5.453-042.0



### Adapter for electric power tools, screwable

#### Adapter for electric power tools, screwable 35

inside Ø 28 mm / outside Ø 34 / 38.8 mm, EL  
Order no. 6.902-095.0



## Wet and dry vacuum cleaners

### NT 27/1

#### Adapter for electric power tools, screwable 35

inside Ø 32 mm/ outside Ø 39 mm  
Order no. 6.902-059.0



#### Adapter for electric power tools, screwable 35

inside Ø 28.6 mm/ outside Ø 37.3 / 38.8 mm  
Order no. 5.453-026.0



#### Adapter for electric power tools, screwable 35

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0



#### Adapter for electric power tools, screwable

Plastic, suitable for ID 26-36 (old No.2.637-247)Te, Standard accessory  
Order no. 2.639-129.0



### All-purpose brushes

#### All-purpose brush, DN 35

Natural bristles (cattle hair), bristle element 120 x 45 mm  
Order no. 6.903-863.0



### All-purpose nozzles (wet/dry)

#### wet & dry floor nozzle ID 40

Plastic with rollers, brush strips, rubber lips (not NT 72/2 / NT 611 KF)  
Order no. 6.906-554.0



#### wet & dry floor nozzle ID 35

Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no. 6.905-877)  
Order no. 6.906-513.0



## Wet and dry vacuum cleaners

### NT 27/1

#### Wet & dry floor nozzle

Aluminium with height-adjustable rollers, brush strips (set 6.903-064), rubber lips ( set 6.903.081), oil resistant  
Order no. 6.906-384.0



#### wet & dry floor nozzle ID 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146)  
Order no. 6.906-383.0



#### Wet & dry floor nozzle DN 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (only NT 72/2 / NT 611 KF)  
Order no. 6.903-018.0



#### Wet & dry floor nozzle DN 35

Plastic with rollers, brush strips, rubber lips (set no. 6.903-277)  
Order no. 6.906-512.0



### Bend metal

#### Bend, metal, DN 35

Metal  
Order no. 6.900-519.0



### Bend plastic

#### Bend, plastic, DN 35

Plastic  
Order no. 6.902-009.0



#### Bend, plastic, DN 35, el.

Plastic DN 35 with C-35 clip system, electroconductive  
Order no. 5.031-939.0



## Wet and dry vacuum cleaners

### NT 27/1

#### **Bend, plastic, C-DN 35**

Plastic with C-35 clip system  
Order no. 5.031-718.0



#### **Bend stainless**

#### **Bend, stainless steel, DN 35**

Stainless steel  
Order no. 6.903-141.0



#### **Car cleaning nozzles**

#### **Car cleaning nozzle, DN 35**

Plastic  
Order no. 6.906-108.0



#### **Car cleaning nozzle, DN 40**

Plastic  
Order no. 6.900-952.0



#### **Cartridge filter paper**

#### **Cartridge filter**

Paper, enlarged filter area  
Order no. 6.414-789.0



#### **Combi-nozzles (dry)**

#### **Combination nozzle packaged DN35**

Plastic, with stainless steel soleplate and rollers, switchable  
Order no. 6.906-874.0



## Wet and dry vacuum cleaners

### NT 27/1

#### All-purpose dry pickup floor tool ID 35 262mm

Plastic with roller and thread collector 6.906-627 (old No.6.906-540)

Metal/plastic, with changeover

Order no. 6.906-639.0



#### Combi-nozzle (dry), DN 35

Plastic with stainless steel soleplate, switchable

Order no. 6.906-511.0



### Connecting sleeve C-DN (clip on taper), EL (electroconductive)

#### Connecting sleeve C-DN 35 (clip with taper), EL

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



### Connecting sleeves

#### Reducing sleeve DN 32 / 35

Connects 2 suction hoses (not EBS 28)

Order no. 6.902-077.0



#### Connecting sleeve, EL (electrically conductive) ID 27

Connects 2 suction hoses, EL 1), without connectors

Order no. 4.453-006.0



### Crevice nozzles

#### Crevice nozzle DN 35

Plastic

Order no. 6.906-240.0



#### Crevice nozzle DN 40

Metal

Order no. 6.905-817.0



## Wet and dry vacuum cleaners

**NT 27/1****Crevice nozzle DN 40**

Plastic

Order no. 6.903-033.0

**Crevice nozzle DN 35**

Metal

Order no. 6.900-922.0

**Crevice nozzle DN 35**

Plastic

Order no. 6.900-385.0

**Crevice Tools****Crevice nozzle, straight, m Metal DN 61**

Order no. 6.900-926.0

**Crevice nozzle plastic 370 mm DN 61**

Plastic

Order no. 6.900-222.0

**Diaphragm filter/ fabric filter****Diaphragm filter / fabric filter**

Polyester needled fleece

Order no. 6.906-103.0

**Extension hoses (Clip-system)****Extension hose C 32 - C 35 - clip system**

for all C-32 and C-35 hoses

Order no. 6.906-237.0





## Wet and dry vacuum cleaners

### NT 27/1

#### Extension tube, metal

##### Extension tube, metal, DN 35

Extension tube, DN 35, metal, chrome-plated

Extends suction tube from 0.5 m to 0.7 m.

Order no. 6.904-276.0



#### Filters

##### Cartridge filter

Paper

Order no. 6.414-772.0



#### Flat surface tool

##### Flat surface tool, ID 61

Aluminium, with brush strip, 200mm working width,

ID 61 (in the past ID 50)

Order no. 6.900-927.0



##### Coarse dirt nozzle ID 61, 160mm

Plastic, for coarse dirt

ID 61, (in the past ID 50)

Order no. 6.900-226.0



#### Flat Surface Tools

##### Flat surface nozzle, aluminium, 200 mm DN 61

Aluminium with brush. With metal bar for B1 DN 61

Order no. 4.130-415.0



## Wet and dry vacuum cleaners

### NT 27/1

#### Nozzle sets

##### Nozzle set, DN 35 - NT

Crevice tool, upholstery tool, round brush  
Order no. 2.860-116.0



#### Paper filter bags (two-ply)

##### Paper filter bags NT 27/1 + Advance

BIA-C, dust class M approved  
Order no. 6.904-290.0



#### Pipe dusting nozzles

##### Pipe diameter, DN 35

Plastic, pipe diameter 200 mm  
Order no. 6.903-036.0



##### Pipe dusting nozzle, DN 35

Plastic, pipe diameter 100 mm  
Order no. 6.903-035.0



#### Radiator brushes

##### Radiator brush, DN 35

Plastic, for crevice nozzle 6.900-385  
Order no. 6.903-034.0



#### Reducer (tube -> nozzle)

##### Reducer (tube -> nozzle)

From DN 35 to 32, metal  
Order no. 6.902-072.0



## Wet and dry vacuum cleaners

### NT 27/1

#### Reducer (tube -> nozzle)

From DN 40 to 35, plastic  
Order no. 6.902-017.0



#### Repair kits

##### Repair kit, C 35

Repair kit suction hose (clip system)  
Order no. 2.639-682.0



#### Rubber suction tools, nose 45°

##### Rubber nozzle, DN 40, slanted 45o

For vacuuming machines, oil resistant  
Order no. 6.902-105.0



##### Rubber nozzle, DN 35, slanted 45o

For vacuuming machines, oil resistant  
Order no. 6.902-104.0



#### Rubber tool

##### Rubber tool

Rubber  
Order no. 4.763-057.0



#### Rubber Tools

##### Rubber nozzle, DN 61, slanted 45o

slanted 45°, for vacuuming machines, oil resistant DN 61  
Order no. 6.902-106.0



## Wet and dry vacuum cleaners

### NT 27/1

#### Set reducing / extension sleeves

##### Set reducing/ extension sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic  
Order no. 2.860-117.0



#### sonstiges

##### Extension cable

20 m  
Order no. 6.647-022.0



#### Suction brushes

##### Suction brush, DN 35

Natural bristles (cattle hair), pivotable  
Order no. 6.903-862.0



#### Suction hoses (Clip-system)

##### Suction hose C-35

With bayonet and clip coupling  
Order no. 6.906-241.0



#### Suction hoses complete

##### Suction hose, DN 35, complete

Standard  
Order no. 4.440-299.0



##### Suction hose, DN 35, complete

Standard  
Order no. 4.440-287.0



## Wet and dry vacuum cleaners

NT 27/1

**Suction hoses complete (Clip-system)****Suction hose, C-DN 35, complete, el.**

with bend, electroconductive

Order no. 4.440-653.0

**Suction hose C-DN 35, complete**

with bend

Order no. 4.440-626.0

**Suction tools****Wide upholstery tool**

plastic

Order no. 6.900-929.0

**Suction tubes metal****Suction tube, DN 40**

Metal

Order no. 6.900-275.0

**Suction tube, DN 35**

Metal

Order no. 6.900-514.0

**Suction tubes plastic****Suction tube, DN 35**

Plastic

Order no. 6.900-384.0



## Wet and dry vacuum cleaners

## NT 27/1

**Suction tubes stainless****Suction tube, DN 40**

Stainless steel  
Order no. 6.906-531.0

**Suction tube, DN 61**

Stainless steel  
Order no. 6.902-082.0

**Suction tube, ID 40**

Stainless steel  
Order no. 6.902-081.0

**Suction tube, DN 35**

Stainless steel  
Order no. 6.902-046.0

**Turbo nozzle****Turbo floor nozzle**

Floor nozzle, plastic, with reducing sleeve 35/32  
Order no. 2.860-114.0

**Turbo upholstery suction nozzle**

Upholstery nozzle, plastic, with reducing sleeve 35/32  
Order no. 2.860-113.0

