

NT 361 Eco



Overview

Small handy commercial wet/ dry vacuum cleaner with patented filter back flushing (PFC - Power Filter Clean) and complete equipped with accessory.

A further variant is the TE- version with a power outlet/ socket with automatic on-off control for electric power tools.

Order no. 1.184-101.0

Standard accessories	Technical data	
Suction hose 2.5 m , Metal suction tube, 2 x 0.5 m , Filter bag Paper, Wet and dry floor tool 300 mm , Crevice tool , Auto shutdown when max. level is reached, Eco filter system , Flat pleated filter Paper, Power Filter Clean , Safety class II, Caster with brake	Air flow rate	57
	Vacuum mbar /kPa	235/23.5
	Container capacity	35
	Max. intake performance W	Max. 1380
	Standard nominal width mm	35
	Length of cord access. m	7.5
	Sound pressure level dB(A)	63
	Container material	Plastic
	Frequency Hz	50-60



NT 361 Eco

Description

The small NT 361 eco wet and dry vacuum is a particularly user-friendly unit which is ideal for universal applications, e.g. in the trades, contract cleaning, finishings,car dealers and private household.

One very practical feature of the new vac is the flat pleated filter which offerssome essential benefits:

The user can alternate between wet and dry pickup without any interruption because the filter element is always above the fluid level.

Access to the filter is quick and simple because it is not necessary to remove the motor head first.

Flat pleated filter increases useful capacity of container since it does not project downwards. Power Filter Clean System, filter cleaning via remote control ensures constant suction power.

The electronic level monitor automatically switches the fan motor off when the maximumliquid levelis reached.

Unit has two large diameter wheels at the rear and two castors at the front for high stability and manoeuvrability, it is also light enough to be carried without difficulty. A large On-/Off-switch as well as holders for storing the cable and accessories on the unit offer additional user convenience.

Application

Universal applications in all the crafts and trades, e.g. wood-, plastic-and metal working trade & commerce, joiner's workshop, carpentry, automotive & car preparation, contract cleaners, serviceand private household.

Features & Benefits

Bypass suction fan installed in sound-proofing hood(63 dB (A))• High suction power, trouble-free wet and dry pickup, low operating noise.

Easily removed fan motor head with integrated on-/ off-switch, power cable holder and accessory storage•

Waste container easily accessible, optimum protection for paper filter bag, convenient handling and operation

ECO flat pleated filter tested according to the dust class M• Large filter area (0.62 m²) with the six benefits of the ECO-flat pleated filter



NT 361 Eco

...

Electronic liquid level monitoring during wet pickup.

Fan switches off automatically when maximum liquid levelis reached.

PFC (patent) Power Filter Clean. Minimum filter wear, filter cleaning is done by remote control and ensures conitinuous high suction power

Adapter (tube -> nozzle)

Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to DN 40, plastic Order no. 6.902-084.0



Adapter for electric power tools, clip on, EL (electroconductive)

Adapter for electric power tools IØ 28mm/OØ 34mm

IID 28 mm/OD 34 mm/38.8 mm, EL Order no. 5.453-052.0



Adapter for electric power tools clip on, EL (electric conductiv

ID 32 mm/OD 39 mm, EL Order no. 5.453-051.0



Adapter for electric power tools, C 35, el.

inside Ø 27 mm / outside Ø 36.5 mm / 38.8 mm, EL only NT vacuums Order no. 5.453-050.0



Adapter for electric power tools clip on, EL (electric conductiv

ID 28.6 mm/OD 37.3 mm/38.8 mm, EL Order no. 5.453-049.0





NT 361 Eco

Adapter for electric power tools, C 35, el.

inside Ø 25.4 mm / outside Ø 34.6 mm / 38 mm, EL only NT vacuums Order no. 5.453-048.0



Adapter for electric power tools, C 35, el.

Plastic, suitable for DN 26-36 (Te/EcoM/H) EL only NT vacuums Order no. 5.453-042.0



Adapter for electric power tools, screwable

Adapter for electric power tools, screwable 35

inside Ø 28 mm/ outside Ø 34 / 38.8 mm, EL Order no. 6.902-095.0



Adapter for electric power tools, screwable 35

inside Ø 32 mm/ outside Ø 39 mm Order no. 6.902-059.0



Adapter for electric power tools, screwable 35

inside Ø 28.6 mm/ outside Ø 37.3 / 38.8 mm Order no. 5.453-026.0



Adapter for electric power tools, screwable 35

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0



Adapter for electric power tools, screwable

Plastic, suitable for ID 26-36 (old No.2.637-247)Te, Standard accessory Order no. 2.639-129.0





NT 361 Eco

All-purpose brushes

All-purpose brush, DN 35

Natural bristles (cattle hair), bristle element 120 x 45 mm Order no. 6.903-863.0



All-purpose nozzles (wet/dry)

wet & dry floor nozzle ID 40

Plastic with rollers, brush strips, rubber lips (not NT 72/2 / NT 611 KF) Order no. 6.906-554.0



wet & dry floor nozzle ID 35

Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no. 6.905-877)

Order no. 6.906-513.0



Wet & dry floor nozzle

Aluminium with height-adjustable rollers, brush strips (set 6.903-064), rubber lips (set 6.903.081), oil resistant Order no. 6.906-384.0



wet & dry floor nozzle ID 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146)

Order no. 6.906-383.0



Wet & dry floor nozzle DN 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (only NT 72/2 / NT 611 KF)
Order no. 6.903-018.0



Wet & dry floor nozzle DN 35

Plastic with rollers, brush strips, rubber lips (set no. 6.903-277) Order no. 6.906-512.0





NT 361 Eco

Bend metal

Bend, metal, DN 61

Metal

Order no. 6.902-011.0



Bend, metal, DN 35

Metal

Order no. 6.900-519.0



Bend, metal, DN 40

Metal

Order no. 6.900-276.0



Bend plastic

Bend, plastic, DN 61

Plastic

Order no. 6.902-021.0



Bend, plastic, C-DN 40, el.

Plastic with C-40 clip system, electroconductive Order no. 5.032-427.0



Bend, plastic, C-DN 40

Plastic with C-40 clip system Order no. 5.031-904.0



Bend, plastic, DN 35, el.

Plastic DN 35 with C-35 clip system, electroconductive Order no. 5.031-939.0



Bend, plastic, C-DN 35

Plastic with C-35 clip system Order no. 5.031-718.0





NT 361 Eco

Bend stainless

Bend, stainless steel, DN 35

Stainless steel Order no. 6.903-141.0



Bend, stainless steel, DN 61

Stainless steel Order no. 6.902-080.0



Bend, stainless steel, DN 40

Stainless steel Order no. 6.902-079.0



Car cleaning nozzles

Car cleaning nozzle, DN 35

Plastic

Order no. 6.906-108.0



Car cleaning nozzle, DN 40

Plastic

Order no. 6.900-952.0



Coarse filter for wet pickup

Coarse dirt filter for wet pickup

Metal

Order no. 6.904-287.0



Combi-nozzles (dry)

Combination nozzle packaged DN35

Plastic, with stainless steel soleplate and rollers, switchable Order no. 6.906-874.0





NT 361 Eco

All-purpose dry pickup floor tool ID 35 262mm

Plastic with roller and thread collector 6.906-627 (old No.6.906-540) Metal/plastic, with changeover Order no. 6.906-639.0



Combi-nozzle (dry), DN 35

Plastic with stainless steel soleplate, switchable Order no. 6.906-511.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C-DN 35 (clip with taper), EL

Connects C 35 hose for DN 35 EL accessories Order no. 5.407-112.0



Connecting sleeve C-DN 40 (clip with taper), EL

Connects C 40 hose for DN 40 EL accessories Order no. 5.407-111.0



Connecting sleeve C- 40 - DN 35 (clip with taper), EL

Connects C 40 hose for DN 35 EL accessories Order no. 5.407-109.0



Connecting sleeves

Connecting sleeve DN 61

Connects 2 suction hoses, two-sided screw thread Order no. 6.902-078.0



Reducing sleeve DN 32 / 35

Connects 2 suction hoses (not EBS 28) Order no. 6.902-077.0





NT 361 Eco

Connectng sleeve DN 40

Connects 2 suction hoses, two-sided screw thread Order no. 6.900-286.0



Connecting sleeve, EL (electrically conductive) ID 27

Connects 2 suction hoses, EL 1), without connectors Order no. 4.453-006.0



Crevice nozzles

Crevice nozzle DN 35

Plastic

Order no. 6.906-240.0



Crevice nozzle DN 40

Metal

Order no. 6.905-817.0



Crevice nozzle DN 40

Plastic

Order no. 6.903-033.0



Crevice nozzle DN 35

Metal

Order no. 6.900-922.0



Crevice nozzle DN 35

Plastic

Order no. 6.900-385.0



Crevice Tools

Crevice nozzle, straigh, m Metal DN 61

Order no. 6.900-926.0





NT 361 Eco

Crevice nozzle plastic 370 mm DN 61

Plastic

Order no. 6.900-222.0



Diaphragm filter/ fabric filter

Diaphragm filter / fabric filter

Polyester needled fleece Order no. 6.904-212.0



Extension hoses (Clip-system)

Extension hose C 32 - C 35, el., clip system

for all C-32 and C-35 hoses, electroconductive Order no. 6.906-277.0



Extension hose C 32 - C 35 - clip system

for all C-32 and C-35 hoses Order no. 6.906-237.0



Extension tube, metal

Extension tube, metal, DN 35

Extension tube, DN 35, metal, chrome-plated

Extends suction tube from 0.5 m to 0.7 m. Order no. 6.904-276.0



Flat pleated filter

Flat pleated filter

Synthetic filter, moisture-proof, washable, saves maintenance costs Order no. 6.904-190.0





NT 361 Eco

Flat pleated filter

Paper filter, approved for BIA-C dust class M Order no. 6.904-206.0



Flat pleated filter (paper)

Flat pleated filter, packed - dust class M

Paper, dust class M approved Order no. 6.904-367.0



Flat pleated filter (PES)

Flat pleated filter (PES)

Fleece, rot-proof, BIA-C dust class M approved Order no. 6.904-190.0



Flat surface tool

Flat surface tool, ID 61

Aluminium, with brush strip, 200mm working width,

ID 61 (in the past ID 50) Order no. 6.900-927.0



Coarse dirt nozzle ID 61, 160mm

Plastic, for coarse dirt ID 61, (in the past ID 50) Order no. 6.900-226.0



Flat Surface Tools

Flat surface nozzle, aluminium, 200 mm DN 61

Aluminium with brush. With metal bar for B1 DN 61 Order no. 4.130-415.0





NT 361 Eco

Fleece filter bags (3-ply)

Fleece filter bag NT 361 Eco + versions 5 pcs.

Fleece filter bag, 3-ply, tear-resistant, dust class M / for dry applications Order no. 6.904-351.0



HEPA filter for dust class H

HEPA flat filter

HEPA flat filter, dust class H (H 14) Order no. 6.904-242.0



Nozzle sets

Nozzle set, DN 35 - NT

Crevice tool, upholstery tool, round brush Order no. 2.860-116.0



Other accessories for T and NT

Defoamer

Plastic, from DN 61 to 61 Order no. 6.762-116.0



Paper filter bags (two-ply)

Paper filter bags

BIA-C, dust class M approved, reinforced outer ply, for cement dust, etc. Order no. 6.904-259.0



Paper filter bags NT 361 Eco + versions 300 pcs.

BIA-approved (U, S, G, C), approved, dust class M, bulk user pack Order no. 6.904-224.0





NT 361 Eco

Paper filter bags NT 361 Eco + versions 300 pcs.

BIA-approved (U, S, G, C), approved, dust class M, bulk user pack Order no. 6.904-224.0



Paper filter bags, 5 pcs

BIA-C, dust class M approved Order no. 6.904-210.0



Pipe dusting nozzles

Pipe diameter, DN 35

Plastic, pipe diameter 200 mm Order no. 6.903-036.0



Pipe dusting nozzle, DN 35

Plastic, pipe diameter 100 mm Order no. 6.903-035.0



Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal

PE plastic sack Order no. 6.596-886.0



Radiator brushes

Radiator brush, DN 35

Plastic, for crevice nozzle 6.900-385 Order no. 6.903-034.0



Reducer (tube -> nozzle)

Reducer (tube -> nozzle)

From DN 35 to 32, metal Order no. 6.902-072.0



NT 361 Eco

Reducer (tube -> nozzle)

From DN 40 to 35, plastic Order no. 6.902-017.0



Reducing sleeve

Reducing sleeve

From C-40 hose to sleeve DN 35 screwable Order no. 5.407-108.0



Repair kits

Repair kit, C 35

Repair kit suction hose (clip system) Order no. 2.639-682.0



Rubber suction tools, nose 45°

Rubber nozzle, DN 40, slanted 450

For vacuuming machines, oil resistant Order no. 6.902-105.0



Rubber nozzle, DN 35, slanted 450

For vacuuming machines, oil resistant Order no. 6.902-104.0



Rubber tool

Rubber tool

Rubber

Order no. 4.763-057.0





NT 361 Eco

Rubber Tools

Rubber nozzle, DN 61, slanted 450

slanted 45°, for vacuuming machines, oil resistant DN 61 Order no. 6.902-106.0



Set reducing / extension sleeves

Set reducing/ extension sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic Order no. 2.860-117.0



sonstiges

Extension cable

20 m

Order no. 6.647-022.0



Special filter bags, wet filter bags

Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant Order no. 6.904-171.0



Suction brushes

Suction brush, DN 35

Natural bristles (cattle hair), pivotable Order no. 6.903-862.0



Suction hoses (Clip-system)

Suction hose C 40 10m el.

Suction hose, plastic, 10 m, electroconductive with bayonet coupling and clip connection C 35 Order no. 6.906-877.0





NT 361 Eco

Suction hose C 40

With bayonet coupling and clip connection, oil resistant (only with NT 611 Eco K/F)

Order no. 6.906-714.0

Ø

Suction hose clip system

Suction hose C 40, 4 m, electroconductive, with bayonet and clip connection Order no. 6.906-546.0



Suction hose C-35, el.

With bayonet and clip connection, electroconductive Order no. 6.906-500.0



Suction hose C-40

With bayonet and clip coupling Order no. 6.906-321.0



Suction hose C-35, el.

With bayonet and clip connection, electroconductive Order no. 6.906-275.0



Suction hose C-35

With bayonet and clip coupling Order no. 6.906-242.0



Suction hose C-35

With bayonet and clip coupling Order no. 6.906-241.0



Suction hoses (without connectors)

Suction hose, (without connectors) ID 35 10m

Electrically conductive, set of connectors 2.639-682 (clip) Order no. 6.389-841.0





NT 361 Eco

Suction hose, (without connectors) ID 35 5m

Electrically conductive, set of connectors 2.862-077 Order no. 6.389-840.0



Suction hose, DN 32 & 35 (without connectors)

Standard (not T 201 with ESB 28) Order no. 6.389-838.0



Suction hose, DN 32 & 35 (without connectors)

Standard

Order no. 6.388-765.0



Suction hoses complete

Suction hose, DN 27, el. complete

with connecting sleeve for electric power tools / electroconductive Order no. 4.440-462.0



Suction hose, DN 27, complete

with connecting sleeve for electric power tools / electroconductive Order no. 4.440-461.0



Suction hose, DN 27, complete

with connecting sleeve for electric power tools Order no. 4.440-446.0



Suction hose, DN 35, complete, temperature-resistant

temperature-resistant up to 120°C Order no. 4.440-339.0



Suction hoses complete (Clip-system)

Suction hose, C-DN 40, complete

with bend and module (4.060-474) Order no. 4.440-679.0





NT 361 Eco

Suction hose, C-DN 35, complete, el.

with bend and module (4.060-478), electroconductive Order no. 4.440-654.0



Suction hose, C-DN 35, complete, el.

with bend, electroconductive Order no. 4.440-653.0



Suction hose C-DN 35, complete

with bend Order no. 4.440-626.0



Suction hose, C-DN 35, complete

with bend and module (4.060-420) Order no. 4.440-627.0



Suction hoses with integrated compressed air supply

Suction hose with integral compressed air supply - Rectus

for FESTO pneumatic tools with IAS 2-system (suitable only for TEA/M A) Order no. $2.860\mbox{-}198.0$



Suction hose with integrated compressed air supply

for pneumatic tools with standard coupling (suitable only for TEA/M A) Order no. 2.860-197.0 $\,$



Suction tubes

Suction tube

metal

Order no. 6.900-274.0





NT 361 Eco

Suction tubes metal

Suction tube, DN 40

Metal

Order no. 6.900-275.0



Suction tube, DN 35

Metal

Order no. 6.900-514.0



Suction tubes plastic

Suction tube, DN 35

Plastic

Order no. 6.900-384.0



Suction tube Plastic 0,5m/ID 61

Plastic

Plastic

Order no. 6.900-224.0



Suction tubes stainless

Suction tube, DN 40

Stainless steel

Order no. 6.906-531.0



Suction tube, DN 61

Stainless steel

Order no. 6.902-082.0



Suction tube, ID 40

Stainless steel

Order no. 6.902-081.0





NT 361 Eco

Suction tube, DN 35

Stainless steel Order no. 6.902-046.0



Turbo nozzle

Turbo floor nozzle

Floor nozzle, plastic, with reducing sleeve 35/32 Order no. 2.860-114.0



Turbo upholstery suction nozzle

Upholstery nozzle, plastic, with reducing sleeve 35/32 Order no. 2.860-113.0



UBS non-conductive media

UBS non-conductive media

for shutdown while vacuuming non-conductive liquids such as oils and fats $\mbox{Order no. }2.882\mbox{-}517.0$



Vacuum accessory kits for specific user groups

Boiler cleaning kit ID 35 NT 351,361

with special filter bag and long crevice tool Order no. 2.638-852.0



Wet'n Dry Kit, ID 40 e (electrically conductive) ID 40

Electrically conductive accessories Order no. 2.638-147.0





NT 361 Eco

Universal Trades and Industry Kit ID 35

3.0 m suction hose 4.440-299, metal bend 6.900-519, 2x 0.5m metal tubes 6.900-514, All-purpose tool 6.900-425, Crevice tool 6.900-385, Upholstery tool 6.900-233, Carpet/ hard floor tool 6.959-271, Floor tool for wet pickup 6.903-284



Order no. 2.637-595.0

Car kit ID 40

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017) Order no. 2.637-443.0



Professional cleaning kit ID 40

Complete set Order no. 2.637-353.0



Builder's kit ID 40

4.0 m suction tube 4.440-263, Metal bend 6.900-276, 2x 0.5m metal tubes 6.900-275), Crevice tool 6.903-033, Floor tool 6.903-018 Order no. 2.637-352.0



Horse grooming kit ID 35

Grooming brush, curry comb/rubber curry comb Order no. 2.637-248.0



Y-piece kit

Y-piece kit

Small hardware/accessory holder (NT 611 only) Distributor, plastic Order no. 2.637-217.0

