

## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Overview

The NT 65/2 Eco Me is a powerful, two-motor wet and dry vacuum cleaner for professional applications. Flat pleated filter is cleaned efficiently by air pulse system for almost constant suction power at all times.

Order no. 1.325-151.0



#### Standard accessories

Suction hose  
4 m  
, Metal suction tube, 2 x 0.5 m  
, Filter bag  
Paper, Wet and dry floor tool  
360 mm  
, Crevice tool  
, Auto shutdown when max. level is reached,  
Eco filter system  
, Stainless steel container  
, Flat pleated filter  
Paper, Power Filter Clean  
, Bumper bar, Push handle, Safety class  
II, Caster with brake, Maintenance -free suction  
fans 2 piece

#### Technical data

Air flow rate l/s	2 x 56
Vacuum mbar /kPa	235/23.5
Container capacity l	65
Max. intake performance W	Max. 2750
Standard nominal width mm	40
Length of cord access. m	7.5
Sound pressure level dB(A)	74
Container material	Metal
Frequency Hz	50-60

## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Description

The NT 65/2 Eco Me is a powerful wet and dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation .

This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated eco filter. The filter is cleaned efficiently with the aid of the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter life.

The NT 65/2 Eco is equipped with an electronic level monitor which shuts off the suction when maximum capacity is reached during wet pick-up to prevent overflow. The clip system ensures simple and quick accessory changes.

There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 65/2 Eco highly mobile.

#### Application

This wet and dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e.g. building and allied trades, automotive workshops and contract cleaners as well as the metal-working, chemical and pharmaceutical industries, in areas where a fully tested unit (safety-type vacuum) is not necessary.

#### Features & Benefits

High grade rubber-insulated power cord  
Very durable, non-kinking and abrasion resistant. For tough applications and a long service life

Housing made of impact resistant plastics  
Low weight for effortless operation. Withstands high loads and knocks.

Large flat tray for tools on motor head  
Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping

On-board holders for power cord and accessories  
Avoid soiling and damage. User has everything within easy reach.

## Wet and dry vacuum cleaners

### Adapter (tube -> nozzle)

#### Adapter DN 40- 61 (tube -> nozzle)

From DN 40 to DN 61, plastic  
Order no. 5.453-019.0



### Adapter for electric power tools, clip on, EL (electroconductive)

#### Adapter for electric power tools ID 28mm/OØ 34mm

ID 28 mm/OD 34 mm/38.8 mm, EL  
Order no. 5.453-052.0



#### Adapter for electric power tools clip on, EL (electric conductiv

ID 32 mm/OD 39 mm, EL  
Order no. 5.453-051.0



#### Adapter for electric power tools, C 35, el.

inside Ø 27 mm / outside Ø 36.5 mm / 38.8 mm, EL  
only NT vacuums  
Order no. 5.453-050.0



#### Adapter for electric power tools clip on, EL (electric conductiv

ID 28.6 mm/OD 37.3 mm/38.8 mm, EL  
Order no. 5.453-049.0



#### Adapter for electric power tools, C 35, el.

inside Ø 25.4 mm / outside Ø 34.6 mm / 38 mm, EL  
only NT vacuums  
Order no. 5.453-048.0



#### Adapter for electric power tools, C 35, el.

Plastic, suitable for DN 26-36 (Te/EcoM/H) EL  
only NT vacuums  
Order no. 5.453-042.0



## Wet and dry vacuum cleaners

**NT 65/2 Eco ME****Adapter for electric power tools, screwable****Adapter for electric power tools, screwable 35**

inside Ø 28 mm/ outside Ø 34 / 38.8 mm, EL

Order no. 6.902-095.0

**Adapter for electric power tools, screwable 35**

inside Ø 32 mm/ outside Ø 39 mm

Order no. 6.902-059.0

**Adapter for electric power tools, screwable 35**

inside Ø 28.6 mm/ outside Ø 37.3 / 38.8 mm

Order no. 5.453-026.0

**Adapter for electric power tools, screwable 35**

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0

**Adapter for electric power tools, screwable**

Plastic, suitable for ID 26-36 (old No.2.637-247)Te, Standard accessory

Order no. 2.639-129.0

**All-purpose brushes****All-purpose brush, DN 35**

Natural bristles (cattle hair), bristle element 120 x 45 mm

Order no. 6.903-863.0

**All-purpose nozzles (wet/dry)****wet & dry floor nozzle ID 35**

Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no. 6.905-877)

Order no. 6.906-513.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Wet & dry floor nozzle

Aluminium with height-adjustable rollers, brush strips (set 6.903-064), rubber lips ( set 6.903.081), oil resistant  
Order no. 6.906-384.0



#### wet & dry floor nozzle ID 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146)  
Order no. 6.906-383.0



#### wet & dry floor tool

For wet and dry vacs, height-adjustable, rubber lips 6.906-168  
Order no. 6.903-038.0



#### wet & dry floor nozzle ID 40

Plastic with rollers, brush strips, rubber lips (not NT 72/2 / NT 611 KF)  
Order no. 6.906-554.0



#### Wet & dry floor nozzle DN 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (only NT 72/2 / NT 611 KF)  
Order no. 6.903-018.0



### Bend metal

#### Bend, metal, DN 61

Metal  
Order no. 6.902-011.0



#### Bend, metal, DN 35

Metal  
Order no. 6.900-519.0



## Wet and dry vacuum cleaners

**NT 65/2 Eco ME****Bend, metal, DN 40**

Metal

Order no. 6.900-276.0

**Bend plastic****Bend, plastic, DN 61**

Plastic

Order no. 6.902-021.0

**Bend, plastic, C-DN 40, el.**

Plastic with C-40 clip system, electroconductive

Order no. 5.032-427.0

**Bend, plastic, DN 35, el.**

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0

**Bend, plastic, C-DN 35**

Plastic with C-35 clip system

Order no. 5.031-718.0

**Bend, plastic, C-DN 40**

Plastic with C-40 clip system

Order no. 5.031-904.0

**Bend stainless****Bend, stainless steel, DN 35**

Stainless steel

Order no. 6.903-141.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Bend, stainless steel, DN 61

Stainless steel  
Order no. 6.902-080.0



#### Bend, stainless steel, DN 40

Stainless steel  
Order no. 6.902-079.0



### Car cleaning nozzles

#### Car cleaning nozzle, DN 40

Plastic  
Order no. 6.900-952.0



### Connecting sleeve C-DN (clip on taper), EL (electroconductive)

#### Connecting sleeve C-DN 35 (clip with taper), EL

Connects C 35 hose for DN 35 EL accessories  
Order no. 5.407-112.0



#### Connecting sleeve C-DN 40 (clip with taper), EL

Connects C 40 hose for DN 40 EL accessories  
Order no. 5.407-111.0



#### Connecting sleeve C- 40 - DN 35 (clip with taper), EL

Connects C 40 hose for DN 35 EL accessories  
Order no. 5.407-109.0



### Connecting sleeves

#### Connecting sleeve DN 61

Connects 2 suction hoses, two-sided screw thread  
Order no. 6.902-078.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Reducing sleeve DN 32 / 35

Connects 2 suction hoses (not EBS 28)  
Order no. 6.902-077.0



#### Connectng sleeve DN 40

Connects 2 suction hoses, two-sided screw thread  
Order no. 6.900-286.0



#### Connecting sleeve, EL (electrically conductive) ID 27

Connects 2 suction hoses, EL 1), without connectors  
Order no. 4.453-006.0



### Crevice nozzles

#### Crevice nozzle DN 40

Metal  
Order no. 6.905-817.0



#### Crevice nozzle DN 35

Metal  
Order no. 6.900-922.0



#### Crevice nozzle DN 35

Plastic  
Order no. 6.900-385.0



#### Crevice nozzle DN 40

Plastic  
Order no. 6.903-033.0



### Crevice Tools

#### Crevice nozzle, straigh, m Metal DN 61

Order no. 6.900-926.0





## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Crevice nozzle plastic 370 mm DN 61

Plastic

Order no. 6.900-222.0



#### Diaphragm filter/ fabric filter

##### Diaphragm filter / fabric filter

Polyester needled fleece, BIA-C approved

Order no. 6.904-282.0



#### Entstaubungsdüse

##### Dusting nozzle DN61

Plastic, for dusting small parts

Order no. 4.130-064.0



#### Extension hoses (Clip-system)

##### Extension hose C 40

for all C-40 hoses

Order no. 6.906-344.0



#### Extension tube, metal

##### Extension tube, metal, DN 35

Extension tube, DN 35, metal, chrome-plated

Extends suction tube from 0.5 m to 0.7 m.

Order no. 6.904-276.0



#### Flat pleated filter (paper)

##### Flat pleated filter

Paper, BIA-C dust class M approved, (only NT 65/ 2 Eco/opt. with TC models)

Order no. 6.904-283.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Flat surface tool

##### **Flat surface tool, ID 61**

Aluminium, with brush strip, 200mm working width,

ID 61 (in the past ID 50)

Order no. 6.900-927.0



##### **Coarse dirt nozzle ID 61, 160mm**

Plastic, for coarse dirt

ID 61, (in the past ID 50)

Order no. 6.900-226.0



#### Flat Surface Tools

##### **Flat surface nozzle, aluminium, 200 mm DN 61**

Aluminium with brush. With metal bar for B1 DN 61

Order no. 4.130-415.0



#### Floor Tools

##### **All-purpose nozzle, wet/dry, rubber lips, brush strips 500 mm ID 61**

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no.

6.906-168)

Order no. 4.130-413.0



#### Gangway nozzles

##### **Gangway nozzle NT xx/2 Eco Tc**

Metal, height-adjustable, brush strips, rubber lips (only Tc models)

Order no. 4.130-400.0



## Wet and dry vacuum cleaners

**NT 65/2 Eco ME****Gangway tool NT xx/2 Eco Tc**

Metal/brush strip set 6.906-066/ rubber strip set 6.906-067 (not 65/2 Eco and NT 700)

ID 40 611 mm



since 01.01.2006 replaced by new gangway tool 4.130-400

Order no. 4.130-171.0

**HEPA filter for dust class H****HEPA flat filter**

HEPA flat filter, dust class H (H 14)

Order no. 6.904-364.0

**Other accessories for T and NT****Spacer ring for 200 l barrel**

EURO steel drum with lid

Order no. 6.902-051.0

**Defoamer**

Plastic, from DN 61 to 61

Order no. 6.762-116.0

**Lid (pre-separator)**

For 6.902-051/4.070-111 and NT 802 l tank

Order no. 4.063-132.0

**Barrel pre-separator**

Metal, from DN 61 to 61, for liquids only

Order no. 3.864-012.0

**Pre-separator**

Complete drum and lid, for coarse dirt and liquids 1)

Order no. 3.864-010.0



## Wet and dry vacuum cleaners

**NT 65/2 Eco ME****Paper filter bags (two-ply)****Paper filter bags NT 48/1 , NT 65/2 Eco + NT 72/2 Eco Tc**

BIA-C, dust class M approved, 3-ply, reinforced outer ply, tear resistant  
Order no. 6.904-285.0

**Pipe dusting nozzles****Pipe diameter, DN 35**

Plastic, pipe diameter 200 mm  
Order no. 6.903-036.0

**Pipe dusting nozzle, DN 35**

Plastic, pipe diameter 100 mm  
Order no. 6.903-035.0

**Plastic sacks for dust-free disposal****Plastic sacks for dust-free disposal**

PE plastic sack  
Order no. 6.900-698.0

**Radiator brushes****Radiator brush, DN 35**

Plastic, for crevice nozzle 6.900-385  
Order no. 6.903-034.0

**Reducer (tube -> nozzle)****Reducer (tube -> nozzle)**

From DN 35 to 32, metal  
Order no. 6.902-072.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Reducer (tube -> nozzle)

From DN 40 to 35, plastic  
Order no. 6.902-017.0



#### Reducing sleeve

##### Reducing sleeve

Reducing sleeve, from C-40 to C-35  
Order no. 5.407-113.0



##### Reducing sleeve

From C-40 hose to sleeve DN 35 screwable  
Order no. 5.407-108.0



#### Repair kits

##### Repair kit, DN 61

Suction hose repair kit

Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I  
Order no. 2.862-038.0



##### Repair kit, C 40

Repair kit suction hose (clip system)  
Order no. 2.639-873.0



#### Rubber suction tools, nose 45°

##### Rubber nozzle, DN 40, slanted 45°

For vacuuming machines, oil resistant  
Order no. 6.902-105.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Rubber nozzle, DN 35, slanted 45o

For vacuuming machines, oil resistant  
Order no. 6.902-104.0



#### Rubber tool

##### Rubber tool

Rubber  
Order no. 4.763-057.0



#### Rubber Tools

##### Rubber nozzle, DN 61, slanted 45o

slanted 45°, for vacuuming machines, oil resistant DN 61  
Order no. 6.902-106.0



#### Scratching and scraping nozzle

##### Scratching and scraping nozzle

Metal, for stubborn dirt, nominal width 61  
Order no. 6.903-360.0



#### Set reducing / extension sleeves

##### Set reducing/ extension sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic  
Order no. 2.860-117.0



#### sonstiges

##### Extension cable

20 m  
Order no. 6.647-022.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Special filter bags, wet filter bags

##### Special wet and dry filter bags NT65/2 - 72/2 5 pcs.

Approved for dust class L, general cleaning, wet and dry, tear-resistant  
Order no. 6.904-252.0



#### Suction brushes

##### Suction brush, DN 35

Natural bristles (cattle hair), pivotable  
Order no. 6.903-862.0



#### Suction hoses

##### Suction hose, plastic

(without connectors)  
Order no. 6.389-839.0



##### Set of connectors C-40

Repair kit for all C-40 and ID 40 hoses  
Order no. 2.639-905.0



#### Suction hoses (Clip-system)

##### Suction hose C 40 10m el.

Suction hose, plastic, 10 m, electroconductive with bayonet coupling and clip connection C 35  
Order no. 6.906-877.0



##### Suction hose C 40

With bayonet coupling and clip connection, oil resistant (only with NT 611 Eco K/F)  
Order no. 6.906-714.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Suction hose clip system

Suction hose C 40, 16 m, with bayonet and clip connection  
Order no. 6.906-635.0



#### Suction hose clip system

Suction hose C 40, 4 m, electroconductive, with bayonet and clip connection  
Order no. 6.906-546.0



#### Suction hose C-40

With bayonet and clip coupling  
Order no. 6.906-321.0



#### Suction hose C-40

With bayonet and clip coupling  
Order no. 6.906-279.0



### Suction hoses (without connectors)

#### Suction hose, (without connectors) ID 61 10m e.c.

Electrically conductive  
Order no. 6.390-436.0



#### Suction hose, (without conductive) ID 61 4m e.c.

Electrically conductive  
Order no. 6.390-435.0



#### Suction hose, (without connectors) ID 61 10m oil res.

Oil resistant, set of connectors 2.862-038  
Order no. 6.390-433.0



#### Suction hose, (without connectors) ID 61 4m oil res.

Oil resistant, set of connectors 2.862-038  
Order no. 6.390-432.0





## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

**Suction hose, (without connectors) ID 40 10m oil res.**

Oil resistant, set of connectors 2.862-037  
Order no. 6.390-431.0



**Suction hose, (without connectors) ID 61 10m n.e.c.**

Set of connectors 2.862-038  
Order no. 6.389-843.0



**Suction hose, (without connectors) ID 40 10m e.c.**

Electrically conductive, set of connectors 2.862-078  
Order no. 6.389-842.0



**Suction hose, DN 32 & 35 (without connectors)**

Standard (not T 201 with ESB 28)  
Order no. 6.389-838.0



**Suction hose, (without connectors) ID 40 10m n. e. c.**

Set of connectors 2.862-037, (without connectors)  
Order no. 6.389-833.0



**Suction hose, DN 32 & 35 (without connectors)**

Standard  
Order no. 6.388-765.0



**Suction hose, (without connectors) ID 61 4m n.e.c.**

Set of connectors 2.862-038  
Order no. 6.388-724.0



**Suction hose, (without connectors) ID 40 4m**

Order no. 6.388-723.0



## Wet and dry vacuum cleaners

### NT 65/2 Eco ME

#### Suction hoses complete

##### **Suction hose, DN 61, el. complete**

electroconductive  
Order no. 4.440-617.0



##### **Suction hose, DN 40, el. complete**

electroconductive  
Order no. 4.440-616.0



##### **Suction hose DN 61, complete - industry**

Industrial hose, PVC/elastomer with steel spiral, smooth inside  
Order no. 4.440-615.0



##### **Suction hose complete DN 61, complete**

Oil resistant  
Order no. 4.440-614.0



##### **Suction hose complete DN 61, complete**

Oil resistant  
Order no. 4.440-613.0



##### **Suction hose, DN 61, complete**

Standard  
Order no. 4.440-467.0



##### **Suction hose DN 61, complete - industry**

Industrial hose, PVC/elastomer with steel spiral, smooth inside  
Order no. 4.440-328.0



##### **Suction hose, DN 61, complete**

Standard  
Order no. 4.440-264.0



## Wet and dry vacuum cleaners

## NT 65/2 Eco ME

**Suction hoses complete (Clip-system)**

**Suction hose, C-DN 40 complete, el.**  
with bend and module (4.060-533), electroconductive  
Order no. 4.440-728.0



**Suction hose C-ID 40, complete**  
with bend  
Order no. 4.440-678.0



**Suction hose, C-DN 40, complete**  
with bend and module (4.060-474)  
Order no. 4.440-679.0

**Suction tubes metal**

**Suction tube, DN 61**  
Metal  
Order no. 6.902-013.0



**Suction tube, DN 35**  
Metal  
Order no. 6.900-514.0



**Suction tube, DN 40**  
Metal  
Order no. 6.900-275.0

**Suction tubes plastic**

**Suction tube Plastic 0,5m/ID 61**  
Plastic  
Plastic  
Order no. 6.900-224.0



## Wet and dry vacuum cleaners

## NT 65/2 Eco ME

**Suction tubes stainless****Suction tube, DN 40**

Stainless steel  
Order no. 6.906-531.0

**Suction tube, DN 61**

Stainless steel  
Order no. 6.902-082.0

**Suction tube, ID 40**

Stainless steel  
Order no. 6.902-081.0

**Suction tube, DN 35**

Stainless steel  
Order no. 6.902-046.0

**UBS non-conductive media****UBS non-conductive media -2**

For shutdown with non-conductive liquids  
Order no. 2.640-426.0

**Vacuum accessory kits for specific user groups****Bus cleaning kit ID 40 NT 65/2**

Order no. 2.640-560.0

**Y-piece kit****Y-piece kit**

Small hardware/accessory holder (NT 611 only)  
Distributor, plastic  
Order no. 2.637-217.0

