

Overview

The NT 65/2 Eco TC is a powerful, two-motor wet and dry vacuum cleaner for professional applications. Flat pleated filter is cleaned efficiently by air pulse system for almost constant suction power at all times.

Order no. 1.667-141.0

Standard accessories	Technical data	
Suction hose 4 m , Metal suction tube, 2 x 0.5 m	Air flow rate I/s	2 x 56
, Filter bag Paper, Wet and dry floor tool 360 mm , Crevice tool	Vacuum mbar /kPa	235/23.5
, Drain hose (oil resistant) , Auto shutdown when max. level is reached,	Container capacity I	65
Eco filter system , Flat pleated filter	Max. intake performance W	Max. 2750
PES, Tilting chassis , Power Filter Clean , Bumper bar, Push handle, Safety class	Standard nominal width mm	40
II, Caster with brake, Maintenance -free suction fans 2 piece	Length of cord access. m	10
	Sound pressure level dB(A)	74
	Container material	Plastic
	Frequency Hz	50-60



Description

The NT 65/2 Eco TC is a powerful wet and dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation.

This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated PES filter. The filter is cleaned efficiently with the aid of the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter life.

The NT 65/2 Eco TC is equipped with an electronic level monitor which shuts off suction when maximum capacity is reached during wet pick-up to prevent overflow. A tilting facility enables the robust plastic container to be emptied without causing backache. After wet pick-up, the container can also be emptied by means of the built-in oil-resistant drain hose.

The clip system ensures simple and quick accessory changes. There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 65/2 Eco TC highly mobile.

Application

This wet and dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e.g. building and allied trades, automotive workshops and contract cleaners as well as the metal-working industries

Features & Benefits

High grade rubber-insulated power cord Very durable, non-kinking and abrasion resistant. For tough applications and a long service life

Housing made of impact resistant plastics Low weight for effortless operation. Withstands high loads and knocks.

Large flat tray for tools on motor head Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping

Oil resistant drain hose standard on all machines Longlife hose, resistant to aggressive media, for easy emptying of full container.

On-board holders for power cord and accessories Avoid soiling and damage. User has everything within easy reach.



Wet and dry vacuum cleaners

Adapter (tube -> nozzle)

Adapter DN 40- 61 (tube -> nozzle)
From DN 40 to DN 61, plastic
Order no. 5.453-019.0



Adapter for electric power tools, clip on, EL (electroconductive)	
Adapter for electric power tools IØ 28mm/OØ 34mm IID 28 mm/OD 34 mm/38.8 mm, EL Order no. 5.453-052.0	
	ø
Adapter for electric power tools clip on, EL (electric conductiv ID 32 mm/OD 39 mm, EL Order no. 5.453-051.0	
	ø
Adapter for electric power tools, C 35, el. inside Ø 27 mm / outside Ø 36.5 mm / 38.8 mm, EL only NT vacuums Order no. 5.453-050.0	
	ø
Adapter for electric power tools clip on, EL (electric conductiv ID 28.6 mm/OD 37.3 mm/38.8 mm, EL Order no. 5.453-049.0	
	ø
Adapter for electric power tools, C 35, el. inside Ø 25.4 mm / outside Ø 34.6 mm / 38 mm, EL only NT vacuums Order no. 5.453-048.0	
	ø
Adapter for electric power tools, C 35, el. Plastic, suitable for DN 26-36 (Te/EcoM/H) EL only NT vacuums	
Order no. 5.453-042.0	ø



Adapter for electric power tools, screwable	
Adapter for electric power tools, screwable 35 inside Ø 28 mm/ outside Ø 34 / 38.8 mm, EL Order no. 6.902-095.0	
	ø
Adapter for electric power tools, screwable 35 inside Ø 32 mm/ outside Ø 39 mm Order no. 6.902-059.0	
	ø
Adapter for electric power tools, screwable 35 inside Ø 28.6 mm/ outside Ø 37.3 / 38.8 mm Order no. 5.453-026.0	
	ø
Adapter for electric power tools, screwable 35 Plastic, suitable for DN 26-36, EL	
Order no. 5.453-016.0	Ţ
Adapter for electric power tools, screwable Plastic, suitable for ID 26-36 (old No.2.637-247)Te, Standard accessory Order no. 2.639-129.0	
	ø

All-purpose brushes

All-purpose brush, DN 35

Natural bristles (cattle hair), bristle element 120 x 45 mm Order no. 6.903-863.0



All-purpose nozzles (wet/dry)

wet & dry floor nozzle ID 35 Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no. 6.905-877) Order no. 6.906-513.0



Wet & dry floor nozzle

Aluminium with height-adjustable rollers, brush strips (set 6.903-064), rubber lips (set 6.903.081), oil resistant Order no. 6.906-384.0

wet & dry floor nozzle ID 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146) Order no. 6.906-383.0

wet & dry floor tool For wet and dry vacs, height-adjustable, rubber lips 6.906-168 Order no. 6.903-038.0

wet & dry floor nozzle ID 40

Plastic with rollers, brush strips, rubber lips (not NT 72/2 / NT 611 KF) Order no. 6.906-554.0

Wet & dry floor nozzle DN 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (only NT 72/2 / NT 611 KF) Order no. 6.903-018.0

Bend metal

Bend, metal, DN 61 Metal Order no. 6.902-011.0

Bend, metal, DN 35 Metal Order no. 6.900-519.0









Bend, metal, DN 40 Metal Order no. 6.900-276.0

ø

Bend plastic

Bend, plastic, DN 61 Plastic Order no. 6.902-021.0

Bend, plastic, C-DN 40, el.

Plastic with C-40 clip system, electroconductive Order no. 5.032-427.0


Bend, plastic, DN 35, el. Plastic DN 35 with C-35 clip system, electroconductive Order no. 5.031-939.0


Bend, plastic, C-DN 35 Plastic with C-35 clip system Order no. 5.031-718.0

Bend, plastic, C-DN 40 Plastic with C-40 clip system Order no. 5.031-904.0

Bend stainless

Bend, stainless steel, DN 35 Stainless steel Order no. 6.903-141.0





Bend, stainless steel, DN 61 Stainless steel Order no. 6.902-080.0

Bend, stainless steel, DN 40 Stainless steel Order no. 6.902-079.0

Car cleaning nozzles

Car cleaning nozzle, DN 40 Plastic Order no. 6.900-952.0

Connecting sleeve C-DN 35 (clip with taper), EL Connects C 35 hose for DN 35 EL accessories Order no. 5.407-112.0	0
Connecting sleeve C-DN 40 (clip with taper), EL Connects C 40 hose for DN 40 EL accessories Order no. 5.407-111.0	0
Connecting sleeve C- 40 - DN 35 (clip with taper), EL Connects C 40 hose for DN 35 EL accessories Order no. 5.407-109.0	

Connecting sleeves


Connecting sleeve DN 61 Connects 2 suction hoses, two-sided screw thread

Connects 2 suction hoses, two-sided screw thread Order no. 6.902-078.0









Reducing sleeve DN 32 / 35 Connects 2 suction hoses (not EBS 28) Order no. 6.902-077.0

Connectng sleeve DN 40 Connects 2 suction hoses, two-sided screw thread Order no. 6.900-286.0

Connecting sleeve, EL (electrically conductive) ID 27

Connects 2 suction hoses, EL 1), without connectors Order no. 4.453-006.0

Crevice nozzles

Crevice nozzle DN 40 Metal Order no. 6.905-817.0

Crevice nozzle DN 35

Metal Order no. 6.900-922.0

Crevice nozzle DN 35

Plastic Order no. 6.900-385.0

Crevice nozzle DN 40 Plastic

Order no. 6.903-033.0

Crevice Tools

Crevice nozzle, straigh, m Metal DN 61

Order no. 6.900-926.0











Ø





Crevice nozzle plastic 370 mm DN 61 Plastic Order no. 6.900-222.0

Diaphragm filter/ fabric filter

Diaphragm filter / fabric filter Polyester needled fleece, BIA-C approved Order no. 6.904-282.0

Entstaubungsdüse

Dusting nozzle DN61 Plastic, for dusting small parts Order no. 4.130-064.0

Extension hoses (Clip-system)

Extension hose C 40 for all C-40 hoses Order no. 6.906-344.0

Extension tube, metal

Extension tube, metal, DN 35 Extension tube, DN 35, metal, chrome-plated

Extends suction tube from 0.5 m to 0.7 m. Order no. 6.904-276.0

Flat pleated filter (paper)

Flat pleated filter Paper, BIA-C dust class M approved, (only NT 65/ 2 Eco/opt. with TC models) Order no. 6.904-283.0









ø





Flat surface tool

Flat surface tool, ID 61

Aluminium, with brush strip, 200mm working width,

ID 61 (in the past ID 50) Order no. 6.900-927.0

Coarse dirt nozzle ID 61, 160mm Plastic, for coarse dirt ID 61, (in the past ID 50) Order no. 6.900-226.0

Flat Surface Tools

Flat surface nozzle, aluminium, 200 mm DN 61 Aluminium with brush. With metal bar for B1 DN 61 Order no. 4.130-415.0

Floor Tools

All-purpose nozzle, wet/dry, rubber lips, brush strips 500 mm ID 61 Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-168) Order no. 4.130-413.0

Gangway nozzles

Gangway nozzle NT xx/2 Eco Tc

Metal, height-adjustable, brush strips, rubber lips (only Tc models) Order no. 4.130-400.0 Ø

Ø



Gangway tool NT xx/2 Eco Tc

Metal/brush strip set 6.906-066/ rubber strip set 6.906-067 (not 65/2 Eco and NT 700) ID 40 611 mm



since 01.01.2006 repleced by new gangway tool 4.130-400 Order no. 4.130-171.0



Ø

Other accessories for T and NT

Spacer ring for 200 I barrel EURO steel drum with lid Order no. 6.902-051.0

HEPA filter for dust class H

HEPA flat filter, dust class H (H 14)

HEPA flat filter

Order no. 6.904-364.0

Defoamer

Plastic, from DN 61 to 61 Order no. 6.762-116.0

Lid (pre-separator)

For 6.902-051/4.070-111 and NT 802 I tank Order no. 4.063-132.0

Barrel pre-separator

Metal, from DN 61 to 61, for liquids only Order no. 3.864-012.0

Pre-separator

Complete drum and lid, for coarse dirt and liquids 1) Order no. 3.864-010.0





Paper filter bags (two-ply)

Paper filter bags NT 48/1, NT 65/2 Eco + NT 72/2 Eco Tc

BIA-C, dust class M approved, 3-ply, reinforced outer ply, tear resistant Order no. 6.904-285.0

Pipe dusting nozzles

Pipe diameter, DN 35 Plastic, pipe diameter 200 mm Order no. 6.903-036.0

Pipe dusting nozzle, DN 35 Plastic, pipe diameter 100 mm Order no. 6.903-035.0

Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal PE plastic sack Order no. 6.900-698.0

Radiator brushes

Radiator brush, DN 35 Plastic, for crevice nozzle 6.900-385 Order no. 6.903-034.0

Reducer (tube -> nozzle)

Reducer (tube -> nozzle) From DN 35 to 32, metal Order no. 6.902-072.0













Reducer (tube -> nozzle) From DN 40 to 35, plastic Order no. 6.902-017.0

Reducing sleeve

Reducing sleeve, from C-40 to C-35 Order no. 5.407-113.0

Reducing sleeve

From C-40 hose to sleeve DN 35 screwable Order no. 5.407-108.0

Repair kits

Repair kit, DN 61 Suction hose repair kit


Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I Order no. 2.862-038.0

Repair kit, C 40

Repair kit suction hose (clip system) Order no. 2.639-873.0

Rubber suction tools, nose 45°

Rubber nozzle, DN 40, slanted 450 For vacuuming machines, oil resistant Order no. 6.902-105.0





Ø

Ø





Rubber nozzle, DN 35, slanted 450 For vacuuming machines, oil resistant

Order no. 6.902-104.0

Rubber tool

Rubber tool Rubber Order no. 4.763-057.0

Rubber Tools

Rubber nozzle, DN 61, slanted 450 slanted 45°, for vacuuming machines, oil resistant DN 61 Order no. 6.902-106.0

Scratching and scraping nozzle

Scratching and scraping nozzle Metal, for stubborn dirt, nominal width 61 Order no. 6.903-360.0

Set reducing / extension sleeves

Set reducing/ extension sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic Order no. 2.860-117.0

sonstiges

Extension cable 20 m Order no. 6.647-022.0





Ø















Special filter bags, wet filter bags

Special wet and dry filter bags NT65/2 - 72/2 5 pcs.

Approved for dust class L, general cleaning, wet and dry, tear-resistant $\ensuremath{\mathsf{Order}}$ no. 6.904-252.0

Suction brushes

Suction brush, DN 35

Natural bristles (cattle hair), pivotable Order no. 6.903-862.0

Suction hoses

Suction hose, plastic (without connectors) Order no. 6.389-839.0

Set of connectors C-40

Repair kit for all C-40 and ID 40 hoses Order no. 2.639-905.0

Suction hoses (Clip-system)	
Suction hose C 40 10m el. Suction hose, plastic, 10 m, electroconductive with bayonet coupling and clip connection C 35 Order no. 6.906-877.0	
Order no. 0.900-877.0	ø
Suction hose C 40 With bayonet coupling and clip connection, oil resistant (only with NT 611 Eco K/F) Order no. 6.906-714.0	
	ø



Ø





Suction hose clip system Suction hose C 40, 16 m, with bayonet and clip connection Order no. 6.906-635.0	
	ø
Suction hose clip system Suction hose C 40, 4 m, electroconductive, with bayonet and clip connection Order no. 6.906-546.0	
	Ţ
Suction hose C-40 With bayonet and clip coupling Order no. 6.906-321.0	
	Ţ\$
Suction hose C-40 With bayonet and clip coupling Order no. 6.906-279.0	
	ø
Suction hoses (without connectors)	
Suction hose, (without connectors) ID 61 10m e.c. Electrically conductive Order no. 6.390-436.0	

Suction hose, (without conductive) ID 61 4m e.c. Electrically conductive

Order no. 6.390-435.0

Suction hose, (without connectors) ID 61 10m oil res. Oil resistant, set of connectors 2.862-038 Order no. 6.390-433.0

Suction hose, (without connectors) ID 61 4m oil res. Oil resistant, set of connectors 2.862-038

Order no. 6.390-432.0

ø

in Allen and a second



Suction hose, (without connectors) ID 40 10m oil res. Oil resistant, set of connectors 2.862-037 Order no. 6.390-431.0	
Suction hose, (without connectors) ID 61 10m n.e.c. Set of connectors 2.862-038 Order no. 6.389-843.0	
Suction hose, (without connectors) ID 40 10m e.c. Electrically conductive, set of connectors 2.862-078 Order no. 6.389-842.0	
Suction hose, DN 32 & 35 (without connectors) Standard (not T 201 with ESB 28) Order no. 6.389-838.0	
Suction hose, (without connectors) ID 40 10m n. e. c. Set of connectors 2.862-037, (without connectors) Order no. 6.389-833.0	
Suction hose, DN 32 & 35 (without connectors) Standard Order no. 6.388-765.0	17A1
Suction hose, (without connectors) ID 61 4m n.e.c. Set of connectors 2.862-038 Order no. 6.388-724.0	
Suction hose, (without connectors) ID 40 4m	
Order no. 6.388-723.0	
	ŢØ



Suction hoses complete	
Suction hose, DN 61, el. complete electroconductive Order no. 4.440-617.0	
	ø
Suction hose, DN 40, el. complete electroconductive Order no. 4.440-616.0	
	ø
Suction hose DN 61, complete - industry Industrial hose, PVC/elastomer with steel spiral, smooth inside Order no. 4.440-615.0	
	ø
Suction hose complete DN 61, complete Oil resistant Order no. 4.440-614.0	
	ø
Suction hose complete DN 61, complete Oil resistant Order no. 4.440-613.0	
	ø
Suction hose, DN 61, complete Standard Order no. 4.440-467.0	
	ø
Suction hose DN 61, complete - industry Industrial hose, PVC/elastomer with steel spiral, smooth inside Order no. 4.440-328.0	
	Ø
Suction hose, DN 61, complete Standard Order no. 4.440-264.0	
Older no. 4.440-204.0	
	ŢŹ1



Suction hoses complete (Clip-system)	
Suction hose, C-DN 40 complete, el. with bend and module (4.060-533), electroconductive Order no. 4.440-728.0	
	ŢŹĹ
Suction hose C-ID 40, complete with bend Order no. 4.440-678.0	
Suction hose, C-DN 40, complete with bend and module (4.060-474) Order no. 4.440-679.0	
	<u>_@_</u>
Suction tubes metal	
Suction tube, DN 61	

Metal Order no. 6.902-013.0

Suction tube, DN 35

Metal Order no. 6.900-514.0

Suction tube, DN 40

Metal Order no. 6.900-275.0

Suction tubes plastic

Suction tube Plastic 0,5m/ID 61 Plastic Plastic Order no. 6.900-224.0

ø

ø

Ø



Suction tubes stainless

Suction tube, DN 40 Stainless steel Order no. 6.906-531.0

Suction tube, DN 61

Stainless steel Order no. 6.902-082.0

Suction tube, ID 40

Stainless steel Order no. 6.902-081.0

Suction tube, DN 35 Stainless steel

Order no. 6.902-046.0

UBS non-conductive media

UBS non-conductive media -2

For shutdown with non-conductive liquids Order no. 2.640-426.0

Vacuum accessory kits for specific user groups

Bus cleaning kit ID 40 NT 65/2

Order no. 2.640-560.0

Y-piece kit

Y-piece kit

Small hardware/accessory holder (NT 611 only) Distributor, plastic Order no. 2.637-217.0





Ø

