

Overview

The NT 72/2 Eco TC is a powerful, two-motor wet and dry vacuum cleaner with a robust stainless steel tank for professional applications.

Flat pleated filter is cleaned efficiently by air pulse system for almost constant suction power at all times.

With the serial grounding of the machine in connection of an optional electrically conductive suction hose the electrostatic charge will be discharge.

Order no. 1.667-151.0

Standard accessories	Technical data	
Suction hose		
4 m	Air flow rate	2 x 56
, Metal suction tube, 2 x 0.5 m	l/s	
, Filter bag	Vacuum	235/23.5
Paper, Wet and dry floor tool	mbar	230/23.5
370 mm	/kPa	
aluminium, Crevice tool		
, Drain hose (oil resistant)	Container capacity	72
	1	
, Auto shutdown when max. level is reached,		
Antistatic system, Eco filter system	Max. intake performance W	Max. 2750
, Stainless steel container		
, Flat pleated filter	Standard nominal width	40
PES, Tilting chassis	mm	
, Power Filter Clean		
, Bumper bar, Push handle, Safety class	Length of cord access.	10
I, Caster with brake, Maintenance -free suction	m	
fans 2 piece	Sound pressure level	74
	dB(A)	74
	Container material	Stainless steel
	Frequency	50-60
	Hz	00 00



Description

The NT 72/2 Eco TC is a powerful wet and dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation.

This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated PES filter. The filter is cleaned efficiently with the aid of the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter life.

The machine has a regular robust metall floor tool equipped with rubber lips and brush strips.

The NT 72/2 Eco TC is equipped with an electronic level monitor which shuts off suction when maximum capacity is reached during wet pick-up to prevent overflow. A tilting facility enables the stainless steel container to be emptied without causing backache. After wet pick-up, the container can also be emptied by means of the built-in oil-resistant drain hose.

The clip system ensures simple and quick accessory changes. There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 72/2 Eco TC highly mobile.

Application

This wet and dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e.g. building and allied trades, construction - building site, cement factories, automotive workshops and contract cleaners as well as the metal-working industries.

For all application with fein or finest dusts we reccomment to use an optional electrically suction hose to discharge the (electically) static.

Features & Benefits

High grade rubber-insulated power cord Very durable, non-kinking and abrasion resistant. For tough applications and a long service life

Container made of robust resistant stainless steel.

Unit is grounded until the suction hose connection. Antistatic system to reduce or prevent electrostatic charge during vacuuming dry dusts.

Large flat tray for tools on motor head

Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping

Oil resistant drain hose standard on all machines



Longlife hose, resistant to aggressive media, for easy emptying of full container.

On-board holders for power cord and accessories Avoid soiling and damage. User has everything within easy reach.

Adapter (tube -> nozzle)

> ...

Adapter DN 40- 61 (tube -> nozzle) From DN 40 to DN 61, plastic Order no. 5.453-019.0



Adapter for electric power tools, clip on, EL (electroconductive)	
Adapter for electric power tools IØ 28mm/OØ 34mm IID 28 mm/OD 34 mm/38.8 mm, EL Order no. 5.453-052.0	
	ø
Adapter for electric power tools clip on, EL (electric conductiv ID 32 mm/OD 39 mm, EL Order no. 5.453-051.0	
	ø
Adapter for electric power tools, C 35, el. inside Ø 27 mm / outside Ø 36.5 mm / 38.8 mm, EL only NT vacuums Order no. 5.453-050.0	
	ø
Adapter for electric power tools clip on, EL (electric conductiv ID 28.6 mm/OD 37.3 mm/38.8 mm, EL Order no. 5.453-049.0	
	Ţ
Adapter for electric power tools, C 35, el. inside Ø 25.4 mm / outside Ø 34.6 mm / 38 mm, EL only NT vacuums	
Order no. 5.453-048.0	ø



Adapter for electric power tools, C 35, el. Plastic, suitable for DN 26-36 (Te/EcoM/H) EL only NT vacuums Order no. 5.453-042.0

ø

ģ
ģ
ø
Ø
- K
ø

All-purpose brushes

All-purpose brush, DN 35 Natural bristles (cattle hair), bristle element 120 x 45 mm Order no. 6.903-863.0



All-purpose nozzles (wet/dry) wet & dry floor nozzle ID 35

6.905-877)

Order no. 6.906-513.0

Wet & dry floor nozzle

Bend metal

Aluminium with height-adjustable rollers, brush strips (set 6.903-064), rubber lips (set 6.903.081), oil resistant Order no. 6.906-384.0

Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no.

wet & dry floor nozzle ID 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146) Order no. 6.906-383.0

wet & dry floor tool For wet and dry vacs, height-adjustable, rubber lips 6.906-168 Order no. 6.903-038.0

wet & dry floor nozzle ID 40

Plastic with rollers, brush strips, rubber lips (not NT 72/2 / NT 611 KF) Order no. 6.906-554.0

Wet & dry floor nozzle DN 40

Aluminium with height-adjustable rollers, brush strips, rubber lips (only NT 72/2 / NT 611 KF) Order no. 6.903-018.0

Bend, metal, DN 61 Metal Order no. 6.902-011.0















Bend, metal, DN 35 Metal Order no. 6.900-519.0

Bend, metal, DN 40 Metal Order no. 6.900-276.0

ø

ø

Bend plastic	
Bend, plastic, DN 61 Plastic Order no. 6.902-021.0	
Bend, plastic, C-DN 40, el. Plastic with C-40 clip system, electroconductive Order no. 5.032-427.0	
Bend, plastic, DN 35, el. Plastic DN 35 with C-35 clip system, electroconductive Order no. 5.031-939.0	
Bend, plastic, C-DN 40 Plastic with C-40 clip system Order no. 5.031-904.0	
Bend, plastic, C-DN 35 Plastic with C-35 clip system Order no. 5.031-718.0	
Bend, plastic, C-DN 40 Plastic with C-40 clip system Order no. 5.031-904.0	



Bend stainless

Bend, stainless steel, DN 35 Stainless steel Order no. 6.903-141.0

Bend, stainless steel, DN 61 Stainless steel Order no. 6.902-080.0

Bend, stainless steel, DN 40 Stainless steel Order no. 6.902-079.0

Car cleaning nozzles

Car cleaning nozzle, DN 40 Plastic Order no. 6.900-952.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)	
Connecting sleeve C-DN 35 (clip with taper), EL Connects C 35 hose for DN 35 EL accessories Order no. 5.407-112.0	
Connecting sleeve C-DN 40 (clip with taper), EL Connects C 40 hose for DN 40 EL accessories Order no. 5.407-111.0	
Connecting sleeve C- 40 - DN 35 (clip with taper), EL Connects C 40 hose for DN 35 EL accessories Order no. 5.407-109.0	



Connecting sleeves

Connecting sleeve DN 61

Connects 2 suction hoses, two-sided screw thread Order no. 6.902-078.0

Reducing sleeve DN 32 / 35

Connects 2 suction hoses (not EBS 28) Order no. 6.902-077.0

Connectng sleeve DN 40

Connects 2 suction hoses, two-sided screw thread Order no. 6.900-286.0

Connecting sleeve, EL (electrically conductive) ID 27 Connects 2 suction hoses, EL 1), without connectors Order no. 4.453-006.0

Crevice nozzles

Crevice nozzle DN 40 Metal Order no. 6.905-817.0

Crevice nozzle DN 35 Metal

Order no. 6.900-922.0

Crevice nozzle DN 35

Plastic Order no. 6.900-385.0

Crevice nozzle DN 40

Plastic Order no. 6.903-033.0

Ø

Ø







Crevice Tools

Crevice nozzle, straigh, m Metal DN 61

Order no. 6.900-926.0

Crevice nozzle plastic 370 mm DN 61 Plastic Order no. 6.900-222.0

Diaphragm filter/ fabric filter

Diaphragm filter / fabric filter Polyester needled fleece, BIA-C approved Order no. 6.904-282.0

Entstaubungsdüse

Dusting nozzle DN61 Plastic, for dusting small parts Order no. 4.130-064.0

Extension hoses (Clip-system)

Extension tube, metal

Extension hose C 40

for all C-40 hoses Order no. 6.906-344.0

Extension tube, metal, DN 35 Extension tube, DN 35, metal, chrome-plated

Extends suction tube from 0.5 m to 0.7 m. Order no. 6.904-276.0



9/23




ø

Ø







Flat pleated filter (paper)

Flat pleated filter

Paper, BIA-C dust class M approved, (only NT 65/ 2 Eco/opt. with TC models) Order no. 6.904-283.0

Flat pleated filter (PES)

Flat pleated filter (PES)

Fleece, rot-proof, BIA-C dust class M approved, (opt. with NT 65/2 Eco/Me) Order no. 6.904-284.0

Flat surface tool

Flat surface tool, ID 61 Aluminium, with brush strip, 200mm working width,

ID 61 (in the past ID 50) Order no. 6.900-927.0

Coarse dirt nozzle ID 61, 160mm Plastic, for coarse dirt ID 61, (in the past ID 50)

Order no. 6.900-226.0

Flat Surface Tools

Flat surface nozzle, aluminium, 200 mm DN 61 Aluminium with brush. With metal bar for B1 DN 61 Order no. 4.130-415.0

Floor Tools

All-purpose nozzle, wet/dry, rubber lips, brush strips 500 mm ID 61 Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-168) Order no. 4.130-413.0







ø

Ø





Ø

Ø

Ø

Wet and dry vacuum cleaners NT 72/2 Eco Tc

Gangway nozzles

Gangway nozzle NT xx/2 Eco Tc

Metal, height-adjustable, brush strips, rubber lips (only Tc models) Order no. 4.130-400.0

Gangway tool NT xx/2 Eco Tc

Metal/brush strip set 6.906-066/ rubber strip set 6.906-067 (not 65/2 Eco and NT 700) ID 40 611 mm

since 01.01.2006 repleced by new gangway tool 4.130-400 Order no. 4.130-171.0

HEPA filter for dust class H

HEPA flat filter HEPA flat filter, dust class H (H 14) Order no. 6.904-364.0

Nozzle sets

Nozzle set, DN 35 - NT Crevice tool, upholstery tool, round brush Order no. 2.860-116.0

Other accessories for T and NT

Spacer ring for 200 I barrel EURO steel drum with lid Order no. 6.902-051.0



Defoamer

Plastic, from DN 61 to 61 Order no. 6.762-116.0

B



Chip basket

Stainless steel, perforated sheet, for general coarse dirt (for NT 72/2 Eco Tc only) Order no. 5.737-008.0

Lid (pre-separator)

For 6.902-051/4.070-111 and NT 802 I tank Order no. 4.063-132.0

Barrel pre-separator Metal, from DN 61 to 61, for liquids only Order no. 3.864-012.0

Pre-separator

Complete drum and lid, for coarse dirt and liquids 1) Order no. 3.864-010.0

Paper filter bags (two-ply)

Paper filter bags NT 48/1 , NT 65/2 Eco + NT 72/2 Eco Tc BIA-C, dust class M approved, 3-ply, reinforced outer ply, tear resistant Order no. 6.904-285.0

Pipe dusting nozzles

Pipe diameter, DN 35 Plastic, pipe diameter 200 mm Order no. 6.903-036.0


Pipe dusting nozzle, DN 35 Plastic, pipe diameter 100 mm Order no. 6.903-035.0











Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal PE plastic sack Order no. 6.900-698.0

Radiator brushes

Radiator brush, DN 35 Plastic, for crevice nozzle 6.900-385 Order no. 6.903-034.0

Reducer (tube -> nozzle)

Reducer (tube -> nozzle) From DN 35 to 32, metal Order no. 6.902-072.0

Reducer (tube -> nozzle) From DN 40 to 35, plastic Order no. 6.902-017.0

Reducing sleeve

Reducing sleeve Reducing sleeve, from C-40 to C-35 Order no. 5.407-113.0

Reducing sleeve

From C-40 hose to sleeve DN 35 screwable Order no. 5.407-108.0



🕸 KARCHER





Ø



Ø

ø



Repair kits

Repair kit, DN 61

Suction hose repair kit

Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I Order no. 2.862-038.0

Repair kit, C 40

Repair kit suction hose (clip system) Order no. 2.639-873.0

Rubber suction tools, nose 45°

Rubber nozzle, DN 40, slanted 450 For vacuuming machines, oil resistant Order no. 6.902-105.0

Rubber nozzle, DN 35, slanted 450 For vacuuming machines, oil resistant Order no. 6.902-104.0

Rubber tool

Rubber tool Rubber Order no. 4.763-057.0

Rubber Tools

Rubber nozzle, DN 61, slanted 450 slanted 45°, for vacuuming machines, oil resistant DN 61 Order no. 6.902-106.0






ø

Ø





Scratching and scraping nozzle

Scratching and scraping nozzle

Metal, for stubborn dirt, nominal width 61 Order no. 6.903-360.0

Set reducing / extension sleeves

Set reducing/ extension sleeves DN 40/35, DN 35/32 (tube -> nozzle), plastic Order no. 2.860-117.0

sonstiges

10 cartridge filter bags Consumables: 10 cartridge filter bags, 1 microfilter Order no. 6.900-488.0

Extension cable 20 m

Order no. 6.647-022.0

Special filter bags, wet filter bags

Special wet and dry filter bags NT65/2 - 72/2 5 pcs. Approved for dust class L, general cleaning, wet and dry, tear-resistant Order no. 6.904-252.0

Suction brushes

Suction brush, DN 35

Natural bristles (cattle hair), pivotable Order no. 6.903-862.0











Ø






Suction hoses	
Suction hose, complete C-40 Suction hose with bayonet connector (machine end) + clip connection Order no. 6.906-271.0	
	ø
Suction hose, plastic (without connectors) Order no. 6.389-839.0	
	ŢØ
Set of connectors C-40 Repair kit for all C-40 and ID 40 hoses Order no. 2.639-905.0	
	ø

Suction hoses (Clip-system)	
Suction hose C 40 10m el. Suction hose, plastic, 10 m, electroconductive with bayonet coupling and clip connection C 35 Order no. 6.906-877.0	
	Ţ
Suction hose C 40 With bayonet coupling and clip connection, oil resistant (only with NT 611 Eco K/F) Order no. 6.906-714.0	
Order no. 6.906-714.0	ø
Suction hose clip system Suction hose C 40, 16 m, with bayonet and clip connection Order no. 6.906-635.0	
	ø
Suction hose clip system Suction hose C 40, 4 m, electroconductive, with bayonet and clip connection Order no. 6.906-546.0	
	,ø



Suction hose C-40
With bayonet and clip coupling
Order no. 6.906-321.0

Suction hose C-40 With bayonet and clip coupling Order no. 6.906-279.0





Suction hose, (without connectors) ID 40 10m e.c. Electrically conductive, set of connectors 2.862-078 Order no. 6.389-842.0	
Suction hose, DN 32 & 35 (without connectors) Standard (not T 201 with ESB 28) Order no. 6.389-838.0	
Suction hose, (without connectors) ID 40 10m n. e. c. Set of connectors 2.862-037, (without connectors) Order no. 6.389-833.0	
Suction hose, DN 32 & 35 (without connectors) Standard Order no. 6.388-765.0	ත්
Suction hose, (without connectors) ID 61 4m n.e.c. Set of connectors 2.862-038 Order no. 6.388-724.0	
Suction hose, (without connectors) ID 40 4m	
Order no. 6.388-723.0	
	ø
Suction hoses complete	
Suction hose, DN 61, el. complete electroconductive Order no. 4.440-617.0	
	đ

Suction hose, DN 40, el. complete electroconductive Order no. 4.440-616.0

ø



Suction hose DN 61, complete - industry	
Industrial hose, PVC/elastomer with steel spiral, smooth inside Order no. 4.440-615.0	
Order 110: 4:440-615.0	
	Ø
Suction hose complete DN 61, complete	*
Oil resistant	
Order no. 4.440-614.0	
	Ø
Suction hose complete DN 61, complete	
Oil resistant Order no. 4.440-613.0	
Older 110: 4:440-013.0	
	ø
Suction hose complete DN 40, complete	
Oil resistant	
Order no. 4.440-612.0	
	-=
	ļØ.
Suction hose, DN 61, complete	
Standard Order no. 4.440-467.0	
	ø
Suction hose, DN 40, el. complete	
electroconductive	
Order no. 4.440-466.0	
	Ţ
	ye_
Suction hose, DN 40, complete Standard	
Order no. 4.440-463.0	
	ø
Suction hose, DN 27, el. complete	
with connecting sleeve for electric power tools / electroconductive	
Order no. 4.440-462.0	
	Ø



Suction hose, DN 27, complete	
with connecting sleeve for electric power tools / electroconductive Order no. 4.440-461.0	
	Ø
Suction hose, DN 27, complete	
with connecting sleeve for electric power tools	
Order no. 4.440-446.0	
	Ø
Suction hass DN 40 complete	
Suction hose, DN 40, complete electroconductive	
Order no. 4.440-391.0	
	ø
Suction hose, DN 35, complete, temperature-resistant	
temperature-resistant up to 120°C Order no. 4.440-339.0	
Older 110. 4.440-339.0	
	Ţ
Suction hose DN 61, complete - industry	
Industrial hose, PVC/elastomer with steel spiral, smooth inside	
Order no. 4.440-328.0	
	Ø
Sustian hass complete DN 40, complete	ye_
Suction hose complete DN 40, complete (Bus-Kit)	
Oil resistant	
Order no. 4.440-303.0	
	,ø
Suction hose, DN 35, complete	
Standard Order no. 4.440-299.0	
	ø
Suction hose, DN 35, complete	
Standard	
Order no. 4.440-287.0	
	Ø
	Let -



ø

ø

Wet and dry vacuum cleaners NT 72/2 Eco Tc

Suction hose, DN 61, complete
Standard
Order no. 4.440-264.0

Suction hose, DN 40, complete Standard Order no. 4.440-263.0

Suction hoses complete (Clip-system)	
Suction hose Suction hose C-DN 40, 16 m with bayonet coupling and straight clip sleeve Order no. 4.440-784.0	Ī.
Suction hose, C-DN 40 complete, el. with bend and module (4.060-533), electroconductive Order no. 4.440-728.0	
	Ø
Suction hose C-ID 40, complete with bend Order no. 4.440-678.0	
Suction hose, C-DN 35, complete, el. with bend and module (4.060-478), electroconductive Order no. 4.440-654.0	
Suction hose, C-DN 35, complete, el. with bend, electroconductive Order no. 4.440-653.0	
Suction hose, C-DN 40, complete with bend and module (4.060-474) Order no. 4.440-679.0	
	ø



ø

Ø

Ø

ø

Wet and dry vacuum cleaners NT 72/2 Eco Tc

Suction tubes

Suction tube metal Order no. 6.900-274.0

Suction tubes metal

Suction tube, DN 61 Metal Order no. 6.902-013.0

Suction tube, DN 35 Metal Order no. 6.900-514.0

Suction tube, DN 40 Metal Order no. 6.900-275.0

Suction tubes plastic

Suction tube Plastic 0,5m/ID 61 Plastic Plastic Order no. 6.900-224.0

Suction tubes stainless

Suction tube, DN 40 Stainless steel Order no. 6.906-531.0



Wet and dry vacuum cleaners NT 72/2 Eco Tc

Suction tube, DN 61 Stainless steel Order no. 6.902-082.0

Suction tube, ID 40 Stainless steel

Order no. 6.902-081.0

Suction tube, DN 35

Stainless steel Order no. 6.902-046.0

UBS non-conductive media

UBS non-conductive media -2

For shutdown with non-conductive liquids Order no. 2.640-426.0

Y-piece kit

Y-piece kit Small hardware/accessory holder (NT 611 only) Distributor, plastic Order no. 2.637-217.0

